

FILE NOTATIONS

Entered in NID File

Entered On S R Sheet

Location Map Pinned

Card Indexed

I W R for State or Fee Land

Checked by Chief

Copy NID to Field Office

Approval Letter

Disapproval Letter

COMPLETION DATA:

Date Well Completed

OW

WW

TA

GW

OS

PA

Location Inspected

Bond released

State of Fee Land

LOGS FILED

Driller's Log

Electric Logs (No.)

E

I

E-I

GR

GR-N

Micro

Lat

Mi-L

Sonic

Others

Cement Bond

Casing collar & perforating record

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

b. TYPE OF WELL

OIL

WELL ☒

GAS

WELL ☐

OTHER

SINGLE
ZONE ☐MULTIPLE
ZONE ☐

2. NAME OF OPERATOR

Gulf Oil Corporation

3. ADDRESS OF OPERATOR

P. O. Box 1971, Casper, Wyoming 82601

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*

At surface

660' NSL, 660' EML (SW SW)

At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any)660' West and
660' South
1320' North
1320' East

18. DISTANCE FROM PROPOSED LOCATION*

TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

Ungraded ground 4833.03'

16. NO. OF ACRES IN LEASE

2480

19. PROPOSED DEPTH

5550'

17. NO. OF ACRES ASSIGNED
TO THIS WELL

80

20. ROTARY OR CABLE TOOLS

Rotary

22. APPROX. DATE WORK WILL START*

2-18-66

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24#	300'	240 sacks
7-7/8"	5-1/2"	14#	5550'	200 sacks

We propose to drill 50' below base of G-1

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

ORIGINAL SIGNED BY
J. D. MACKAY

SIGNED

TITLE

Area Engineer

DATE

2-11-66

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY

TITLE


DATE

CONDITIONS OF APPROVAL, IF ANY:

cc: Utah O&G Cons. Comm. (2)
C. T. Gilbert (1)

*See Instructions On Reverse Side


T 8 S, R 21 E, SLB&M



Scale: 1" = 1000'

X - Corners Located (Brass Cap)
O - Corners Re-established

BY: ROSS CONSTRUCTION COMPANY
VERNAL, UTAH



<p>PARTY R. D. Ross L. E. Heeney</p> <p>WEATHER Clear</p>	<p>SURVEY GULF OIL CORPORATION WONSITS VALLEY FEDERAL UNIT NO. 62 LOCATED AS SHOWN IN SW$\frac{1}{4}$, SW$\frac{1}{4}$, SECTION 10 T8S, R21E, SLB&M, UTAH COUNTY, UTAH</p>	<p>DATE 2/4/66 REFERENCES USGLO Township Plat</p> <p>FILE GULF</p>
---	--	--

Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

(See other instructions on reverse side)

5. LEASE DESIGNATION AND SERIAL NO.

U-0806
6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Wonsitz Valley

S. FARM OR LEASE NAME
Monsits Valley Fed. Unit

9. WELL NO.


10. FIELD AND POOL, OR WILDCAT

Wonsits-Wonsits Valley
11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA

10-85-212

12. COUNTY OR PARISH Utah	13. STATE Utah
------------------------------	-------------------

15. DATE SPUDDED 6-4-66	16. DATE T.D. REACHED 6-15-66	17. DATE COMPL. (Ready to prod.) 7-16-66	18. ELEVATIONS (DF, RKB, RT, GR, ETC.).* Gr 4833', KB 4845'	19. ELEV. CASINGHEAD
----------------------------	----------------------------------	---	--	----------------------

20. TOTAL DEPTH, MD & TVD 5500	21. PLUG, BACK T.D., MD & TVD 5473	22. IF MULTIPLE COMPL., HOW MANY*	23. INTERVALS DRILLED BY 	ROTARY TOOLS All	CABLE TOOLS
--	--	--------------------------------------	--	----------------------------	-------------

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*			25. WAS DIRECTIONAL SURVEY MADE
<u>Basal Green River</u>	F-4	5349-5362	No
G-1 5405-5420	F-2	5305-5314	

26. TYPE ELECTRIC AND OTHER LOGS RUN	Induction - Electrical, Microlog with Caliper, Cement Bond, Casing Collar and Perforating Record	27. WAS WELL CORED
		No

28. CASING RECORD (*Report all strings set in well*)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8	24	289	12-1/4	200 sacks	
5-1/2	14	5500	7-7/8	225 sacks	

29. LINER RECORD					30. TUBING RECORD		
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-7/8	5414'	

31. PERFORATION RECORD (Interval, size and number)			32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
G-1	5405-5420	2 jets per foot	DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
F-4	5352-5362	2 jets per foot	G-1 5405-5420	Fracture treated with 624
F-2	5305-5315	2 jets per foot		bbls. jelled water and 5617/
				sand and 6615# glass beads.
			Continued on REVERSE SIDE	

33.* PRODUCTION		
DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or shut-in)
6-25-66	Pumping, 11½" x 100" SPH, 2½" bore pump	Producing

DATE OF TEST 7-16-66	HOURS TESTED 24	CHOKE SIZE	PROD'N. FOR TEST PERIOD →	OIL—BBL. 200	GAS—MCF. 31	WATER—BBL. 95	GAS-OIL RATIO 197:1
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE →	OIL—BBL. 200	GAS—MCF. 31	WATER—BBL. 95	OIL GRAVITY-API (CORR.) 29.3°	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)		TEST WITNESSED BY
Fuel and sold		T. A. Phillips

35. LIST OF ATTACHMENTS

Two copies each of logs listed in item 26.

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED LESTER LeFAVOUR TITLE Area Production Manager DATE 7-27-66

***(See Instructions and Spaces for Additional Data on Reverse Side)**

CC: Utah Oil & Gas Conservation Commission (2)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
Continued from item 32			
F-4 5352-5362 and F-2 5305-5315			250 gal MCA each zone. Fracture treated each zone, in stages, with 427 bbls. jelled water and 2772# sand and 428# glass beads.
NO WATER SANDS TESTED			

38. GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
Green River	2412	
Basal Green River	4528	
E-5	5230	
F-2	5297	
F-4	5347	
G-1	5402	

JUL 28 1966

Gulf Oil Corporation

CASPER PRODUCTION AREA

L. W. LeFavour
AREA PRODUCTION MANAGER
B. W. Miller
AREA EXPLORATION MANAGER

P. O. Box 1971
Casper, Wyo. 82601

July 27, 1966

United States Geological Survey
8416 Federal Building
125 South State Street
Salt Lake City, Utah 84111

Utah Oil & Gas Conservation Commission
348 East South Temple - Suite 301
Salt Lake City, Utah 84111

Re: Monks Valley Federal Unit
Well No. 62
SW SW Section 10-8S-21E
Uintah County, Utah

Gentlemen:

Attached, in duplicate, to each addressee is Well Completion Report on captioned well.

We desire to keep all information confidential on the above-subject well.

Yours very truly,

ORIGINAL SIGNED BY
J. D. MACKAY
AREA ENGINEER

WJC:rk



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-0806

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Wonsits Valley Unit

8. FARM OR LEASE NAME
Wonsits
Valley Unit State Federal

9. WELL NO.

62

10. FIELD AND POOL, OR WILDCAT

Wonsits-Wonsits Valley

11. SEC., T., R., M., OR BEK. AND
SUBV. OR AREA

10-8S-21E

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	2. NAME OF OPERATOR Gulf Oil Corporation	3. ADDRESS OF OPERATOR P. O. Box 1971, Casper, Wyoming 82601	4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface SW SW 660' NSL & 660' EWL	14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4833' Ground 4845' KB
--	---	---	--	----------------	---

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

STOP OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

WATER SHUT-OFF

FRACTURE TREATMENT

STOP OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and holes pertinent to this work.)*

Acidize. Gulf AFE 89008. Acidized G-1 zone, 5405-20' with 1000 gal 15% inhibited acid and 1/2 drum Visco IIII. Acidized F-4 zone 5352-62' with 1000 gal 15% inhibited HCL acid with 1/2 drum of Visco IIII. Acidized F-2 zone 5305-15' with 1000 gal 15% inhibited HCL with 1/2 drum Visco IIII. Treated F-4 and G-1 zones with 2 drums Visco 957. Treated F-2 zone with 2 drums Visco 957. Work started 4-1 and completed 4-3. Production before 44 oil and 51 water per day; after 62 oil and 84 water per day.

18. I hereby certify that the foregoing is true and correct

ORIGINAL SIGNED BY

SIGNED J. D. MACKAY
J. D. MackayTITLE Area Production ManagerDATE April 15, 1969

(This space for Federal or State office use)

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

cc - Utah Oil & Gas Commission (2)

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-0895

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Wonsita Valley Unit

8. FARM OR LEASE NAME

Wonsita Valley Unit State Federal

9. WELL NO.

62

10. FIELD AND POOL, OR WILDCAT

Wonsita-Wonsita Valley

11. SEC., T., R. & M., OR BLK. AND
SURVEY OR AREA

10 - 32 - 20

12. COUNTY OR PARISH

Utah

13. STATE

Utah

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐2. NAME OF OPERATOR
Gulf Oil Corporation3. ADDRESS OF OPERATOR
P. O. Box 1971, Casper, Wyoming 826014. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface
SW 660' NE 1/4 & 600' EWL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4833' Ground

4845' KB

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☒REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORTS:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Propose to acidize F-2, F-4, and G-1 zones in 3 stages with 1000 gals 15% acid each zone upon approval. (1/2 drum of Visco III to be added to acid for each stage).

Well has not responded to waterflood as expected. Proposed acid job is to attempt to remove permeability barrier around well bore. Chemical is to prevent redeposition.

Present production: 46 BOPD and 5 MCFD

APPROVED BY DIVISION
OIL & GAS DIVISION

DATE 3-25-69

BY Paul R. Birchill

18. I hereby certify that the foregoing is true and correct

ORIGINAL SIGNED BY
J. B. MACKAY
SIGNED J. B. Mackay

TITLE Area Production Manager

DATE 3/1/69

(This space for Federal or State office use)

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

Utah Oil & Gas Commission (2)

TITLE

DATE

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. UNIT AGREEMENT NAME Honsits Valley
2. NAME OF OPERATOR Gulf Oil Corporation	8. FARM OR LEASE NAME Honsits Valley Unit/ State-Federal
3. ADDRESS OF OPERATOR P. O. Box 2619; Casper, Wyoming 82601	9. WELL NO. 62
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 660' NSL and 660' EWL (SW SW)	10. FIELD AND POOL, OR WILDCAT Honsits Valley
14. PERMIT NO.	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 10-8S-21E
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4845' KB	12. COUNTY OR PARISH Uintah
	13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING ACIDIZE <input checked="" type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is proposed to acidize individually the F-2, F-4 and G-1 sands with 1000 gallons of 15% HCl, in an attempt to increase oil production.

Present Status

**5500' - TD
5473' - PBTD
5405-20' - Perforations - G-1
5352-62' - Perforations - F-4
5305-15' - Perforations - F-2**

February, 1973, production 28.6 bopd and 5 bwpd.

18. I hereby certify that the foregoing is true and correct

ORIGINAL SIGNED BY

SIGNED **L. M. WILSON**

TITLE **Area Production Manager**

DATE **March 9, 1973**

L. M. Wilson

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

cc: Utah Oil and Gas Commission - 2

***See Instructions on Reverse Side**

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. UNIT AGREEMENT NAME Wonsits Valley
2. NAME OF OPERATOR Gulf Oil Corporation	8. FARM OR LEASE NAME Wonsits Valley Unit/ State-Federal
3. ADDRESS OF OPERATOR P. O. Box 2619; Casper, Wyoming 82601	9. WELL NO. 62
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 660' NSL and 660' EWL (SW SW)	10. FIELD AND POOL, OR WILDCAT Wonsits Valley
14. PERMIT NO.	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 10-8S-21E
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4845' KB	12. COUNTY OR PARISH Uintah
	13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

~~XXXXXX~~ OR ACIDIZING ☒

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Acidized down casing by Dowell as follows: Pumped 150 bbls fresh water as spearhead, and pumped 1000 gal 15% HCl containing 6 gallons A-130 inhibitor and 4 gallons W-27 non-emulsifying agent. Dropped 60 BS-9 7/8" diameter ball sealers. Pumped 1000 gallons acid as above and dropped 60 ball sealers as above and pumped 1000 gallons acid as above and displaced with 132 bbls produced water. Average injection rate 7 BPM, average pressure 1000 psi. Maximum 1150 psi, final 1150 psi. Initial shut-in pressure 800 psi, on vacuum in 7 minutes. No apparent ball action and no apparent effect when acid entered the formation. Reran tubing and rods and put well to pumping. Work completed 3-26-73. On 3-31-73 pumped 38 bo and 1 bw in 24 hours, 12" x 80" SPM, 1-3/4" pump. Before acid treatment pumped 34 bo and 2 bw in 24 hours.

Present Status

5500' - TD
5473' - PBTD
5405-20' - Perforations - G-1
5352-62' - Perforations - F-4
5305-15' - Perforations - F-2

18. I hereby certify that the foregoing is true and correct

ORIGINAL S/C

SIGNED L. M. WILSONTITLE Area Production ManagerDATE April 3, 1973L. M. Wilson

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

cc: Utah Oil and Gas Commission - 2

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. U-0806	
2. NAME OF OPERATOR Gulf Oil Corporation		6. IF INDIAN, ALLOTTEE OR TRIBE NAME Monsits Valley Unit	
3. ADDRESS OF OPERATOR P. O. Box 2619; Casper, Wyoming 82601		7. UNIT AGREEMENT NAME Monsits Valley Unit/	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 660' SNL and 660' EWL (SW SW)		8. FARM OR LEASE NAME State-Federal	
14. PERMIT NO.		9. WELL NO. 62	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) KB 4845'		10. FIELD AND POOL, OR WILDCAT Monsits-Monsits Valley	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 10-8S-21E	
		12. COUNTY OR PARISH Uintah	
		13. STATE Utah	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
XXXXXX ACIDIZE <input checked="" type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is proposed to acidize individually the F-2, F-4 and G-1 sands with 1000 gals of inhibited 15% HCl acid to remove calcium carbonate scale and improve oil production.

Current production: 44 BO and 4 BWPd.

TD 5500'
PBDT 5473'

F-2 perforated 5305'-5315'
F-4 perforated 5352'-5362'
G-1 perforated 5405'-5420'

APPROVED BY DIVISION OF
OIL & GAS CONSERVATION

DATE JUL 22 1974

BY *C. B. Hughes*

18. I hereby certify that the foregoing is true and correct

ORIGINAL SIGNED BY

SIGNED J. D. RICHARDS
J. D. Richards

TITLE Area Engineer

DATE July 11, 1974

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

cc: Utah Oil and Gas Commission (2)

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPlicate*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. UNIT AGREEMENT NAME Monsits Valley Unit
2. NAME OF OPERATOR Gulf Oil Corporation		8. NAME OF LEASE Monsits Valley Unit/ State-Federal
3. ADDRESS OF OPERATOR P. O. Box 2619; Casper, WY 82601		9. WELL NO. 62
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 660' SNL and 660' EWL (SW SW)		10. FIELD AND POOL, OR WILDCAT Monsits Valley
14. PERMIT NO.		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 10-8S-21E
15. ELEVATIONS (Show whether DF, RT, GR, etc.) KB 4245'		12. COUNTY OR PARISH Uintah
		13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐~~SHOOT OR ACIDIZE~~ ☒(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Treated producing oil well w/ 3000 gal 15% HCl acid in 3 stages of 1000 gal each.**Work started 8-19-74 and completed 8-20-74.****Production before 51 bopd & 5 bwpd
after 94 bopd & 3 bwpd**

18. I hereby certify that the foregoing is true and correct

Original signed
SIGNED **J. G. Garner**
J. G. GarnerTITLE **Sr. Petroleum Engineer**DATE **August 27, 1974**

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

cc: **Utah Oil & Gas Commission**

*See Instructions on Reverse Side

June 18, 1981

Gulf Oil Corporation
P.O. Box 2619
Casper, Wyoming 82601

Re: Well No. Wonsits Valley Federal #62
Sec. 10, T.8S. R.21E.
Uintah County, Utah

Gentlemen:

According to our records this Office has not recieved any Recompletion or Workover information pertaining to the above mentioned well.

Please notify this Division, and please send in any information you have on this well, so we can complete our files.

Your prompt attention to the above will be greatly appreciated.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING


SANDY BATES
CLERK-TYPIST

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
 Use "APPLICATION FOR PERMIT—" for such proposals.)

1. <input checked="" type="checkbox"/> OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER		5. LEASE DESIGNATION AND SERIAL NO.	
2. NAME OF OPERATOR Gulf Oil Corporation		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR P. O. Box 2619, Casper, Wyoming 82602		7. UNIT AGREEMENT NAME Wonsits Valley	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 660' SNL & 660' EWL (SW SW)		8. FARM OR LEASE NAME Wonsits Valley Unit State - Federal	
14. PERMIT NO.		9. WELL NO. 62	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4845' KB		10. FIELD AND POOL, OR WILDCAT Wonsits Valley	
		11. SEC., T., R., M., OR BLE. AND SURVEY OR AREA Section 10-8S-21E	
		12. COUNTY OR PARISH Uintah	13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	Replace <input checked="" type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	REPAIRING CASING <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Please see attached listing.

RECEIVED
 JUL 20 1981

DIVISION OF
OIL, GAS & MINING

18. I hereby certify that the foregoing is true and correct

SIGNED J. E. Wilkinson

TITLE Petroleum Engineer

DATE July 6, 1981

(This space for Federal or State office use)

APPROVED BY _____
 CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

State of Utah
Department of Natural Resources
Division of Oil, Gas and Mining
1588 West North Temple
Salt Lake City, Utah 84116

U. S. Department of the Interior
Geological Survey
2000 Administration Building
1745 West 1700 South
Salt Lake City, Utah 84104

Make reports complete, such as description of casing . . . Show, as soon as known, name of contractor, type of rig, and kind of fuel . . .
In guide margin show casing (as, 7"), "Contractor," "Shot," "Acidized," etc.

GUIDE MARGIN	DATE	YEAR	A. F. E.	LEASE AND WELL
--------------	------	------	----------	----------------

Monitilledy #62

6-19-81 Well in test to 400Bbls tank.

6-20-81 Prod 118BO & 1BW in 72hrs. 39BOPD.

6-21-81 In tst.

6-22-81 In tst.

6-23-81 Well in tst.

6-24-81 Well still in tst. Valve open to flowline by mistake. No results.

6-25-81 Well in tst.

6-26-81 In test. Will haul 6-26-81.

6-27-81 Hauled oil & wtr from test tank. Test results: 6-24-81 24BO & 7BW. Gravity 33.8°
@ 121°F (29.4 @ 60°). 6-25-81 23BO & 8BW. 6-26-81 23BO & 7BW. Gravity 33.8°
@ 121°F (29.4 @ 60°F). DROP.

Make reports complete, such as description of casing . . . Show, as soon as known, name of contractor, type of rig, and kind of fuel . . .
In guide margin show casing (as, 7"), "Contractor," "Shot," "Acidized," etc.

GUIDE MARGIN

DATE

YEAR

A. F. E.

LEASE AND WELL

WV #2

6-4-81 PBDT 5000'. Circ hole clean to top of CIBP @ 5000'. Drld 15mins on BP & lost circ. POH w/ bit & collars. PU & RIH w/ Baker Mdl AD-1 5 1/2" csg pkr on 2 7/8" tbg. Set pkr @ 1498' tried to press up tbg & csg below pkr. Would not hold. Rel pkr & POH. (Lost pkr rubber, btm packing cone & nut in hole). SION.

6-5-81 Preparing to RIH w/ BP & pkr to ck csg.

6-6-81 PBDT 5473'. PU & RIH w/ Howco 5 1/2" RBP & RTTS pkr. Set BP @ 1488'. Tsted to 1000# & set pkr @ 1365'. Tsted cmt sqz 1400' to 1000PSI. Bled off to 800PSI in 1min. Held for 10mins @ 800PSI. Set pkr @ 1557' & tsted csg patch @ 1630' to 1000PSI. Reset RBP @ 3745' & pkr @ 2625'.

6-6-81 Tsted cmt sqz @ 3710'-12' @ 1000PSI. POH w/ pkr & BP & rel tls. RU & RIH w/ 4 3/4" bit & 5 1/2" csg scraper on 2 7/8" tbg. Drld out CIBP @ 5000'. Circ hole to PTBD 5473 SION

6-7-81 PBDT 5473'. RU circ hole clean to BPTD 5473'. POH w/ 2 7/8" work string layed dn in single. SIFWE.

6-8-81 RIH w/ prod tbg & rods.

6-9-81 Will run pump & rods & prepare for prod.

5210,520

6-10-81 RU Hellanback Hot Oil Serv to flush tbg. PU rods in single. GIH w/ pump 2 1/2 x 1 1/2 x 12' x 17'. RHBC-10-1" rods & 86-3/4" rods & 57-7/8" rods & 57-1" rods. 1 1/2" x 30' polish rod. Unable to start engine gas line broke out to engine. Will install gas line 6-10-81 & start engine hang well on. RD & MO NL Well Serv reramp flowline & start well pumping.

6-11-81 Installed gas line. Hung well on & RD NL Well Serv. Started engine & checked flowline. Put well on production @ 3:00PM.

6-12-81 Circ hole w/ SW. Made up change over sub & PU 11-1" rods to tag fish. Latche onto fish. Pump stuck in hole. Backed off rods dn hole. POH w/ 288jts of wt tbg. ID & left change over & fishing tls in hole. 125' of 3/4" rods still in hole. RU to work tbg. SION.

6-12-81 well pumping

6-13-15-81 Well pumping to WV Tank Battery #5. Will tst to tank on 5-16-81.

6-16-81 NR.

5211,409

6-17-81 In test.

6-18-81 Well in tst to 400Bbls tank. Results 16BW & 29B0 in 24hrs. Back press valve was set too high, causing low test. Will cont to tst to tank.

W. Valley, N. Co.

Make reports complete, such as description of casing . . . Show, as soon as known, name of contractor, type of rig, and kind of fuel . . .
In guide margin show casing (as, 7"), "Contractor," "Shot," "Acidized," etc.

GUIDE MARGIN	DATE	YEAR	A. F. E.	LEASE AND WELL
5-20-81	PBTD 3550'			W/ cmt retainer. WO Casper for procedure to recmt. Called out NL McCullough to shoot 6 sqz holes @ 1400'. RU NL McCullough & RIH w/ 4" Omega Jet LL perf gun & perf @ 1406', 6 shots over 4' interval w/ .51" holes. Penetration 23.20"-22grams per/chg. POH & RD NL McCullough. SION.
5-21-81	PBTD 3550 w/ cmt ret.			RU Halliburton to circ hole to est. pump rate. Pumped 5BPM w/ 0 press. Pumped 250sxs Class H cmt w/ 1#/sx of LA-2 6.9G21/sx. Having a slurry volume of 1.40 Cu Ft/sx. Used 2% calcium chloride for accelerator. Pumped 14.4#/gal slurry. Started pumping @ 5BPM w/ 0' press wt. started flwg out of surf had Halliburton to 2BPM. Press 400# @ end cmt. SD put in float in 5½" csg. (was on vacuum). Pumped float to 1350' @ 1.5BPM-400#PSI @ end of displacement.. Never got cmt to top of surf. Wtr stopped after displacement. Rel holes. Closed 5½" csg & released rig crew. SION.
5-22-81	No Report.			
5-22-81	SD. WO cmt.			
5-27-81	Will press tst csg to 800PSI and run logs, fax results and circ w/ hot wtr.			
5-28-81	Tested csg to 800PSI and held. POH w/ tbg, csg scraper, bit and DC. RU GO WL and ran CBL-CCL from PBTD 3567' up to 300'. Ran 2800' to 300' again w/ different tl to prove anomalies in film. RD GO & SION. Faxed CBL-CCL results to Casper. WOO			
5-29-81	WOO.			
5-30-81	Resumed drlg on cmt ret w/ good circ and returns. Started losing wtr in circ. but still getting metal filings in returns. Drld slowly to 3588' and lost circ & would not hold press. Lost 100BW during drlg process. POH w/ collars, scraper & bit. SION.			
5-31-81	PU Halliburton RBP & RTTS prk on 2 7/8" tbg. RIH to 1703' and set pkr. Pump thru tbg to tst below 1703'. Press to 1000PSI and held. Press up backside but would not hold. Had slight difficulty releasing pkr & set RBP & 1703' and PUH to 1577' and set pkr. Press tsted csg patch (1630') to 1000PSI and held. Rel pkr and POH to 1324' & set, to tst sqz holes @ 1400'. Would not press up & tsted backside to 1000PSI & held. Perf's open @ 1400'. RIH to 1703' and retrieve RBP. Set pkr @ 1703' and tsted below to assure 1st tst was good, since there was difficulty in releasing the pkr. Tsted to 1000PSI & POH w/ RTTS & RBP & LD RBP. RIH w/ RTTS pkr to 1200' and set. RU Howco to pump 150sxs Class H cmt w/ 2% CaCl & didn't exceed 1000PSI surf pumped cmt dn 2Bbls past pkr. Total of 9Bbls pumped. RD Howco @ 4:00PM. SION & WOC.			
6-1-81	Will drill out cmt & press tst sqz job.			
6-2-81	POH w/ 2 7/8" tbg and LD RTTS pkr. PU 4 3/4" bit & csg scraper & DC on 2 7/8" tbg and RIH to 1282'. Began drlg cmt, broke thru cmt @ 1419' (136' cmt). RIH to btm and circ clean. Press tsted to 1000PSI and held. POH w/ tbg, DC, scraper & bit. RU GO WL and ran CBL-CLL from 1800' to 300'. RD GO WL & SION. Will RIH & cont. drlg out btm.			
6-3-81	RIH w/ 4 3/4" bit, csg scraper, DC to DO cmt. Tagged cmt # 3578'. Drld to 3713'. Fell thru. Cleaned out to 3725'. SION. Will cont cleaning out & drlg out to btm.			

W. Valley No 62

Make reports complete, such as description of casing . . . Show, as soon as known, name of contractor, type of rig, and kind of fuel . . .
In guide margin show casing (as, 7"), "Contractor," "Shot," "Acidized," etc.

GUIDE MARGIN	DATE	YEAR	A. F. E.	LEASE AND WELL
5-9-81	MIRU mud tank & pump. RIH w/ 1jt tailpipe below Bowen Mech inside cutter w/ 3"-3½"			DC on 2 7/8" tbg. Circ hole w/ 10PPG mud to surf. Cut 5½" csg @ 1630' & RIH to PBSD @ 3550'. Set string on btm & rel. RU & RIH w/ csg spear & reciprocate pipe-free. RD csg jacks & RU csg elev. SIFN.
5-10-81	PBSD 3550'. (Cmt ret). Fin RU to pull 5½" csg. Circ w/ 10PPG mud & csg full & hole full. Start POH & found holes @ 310'-405' (Pipe covered w/ heavy paraffin-may be some smaller holes not detected). Clean cut @ 1630'. PU & RIH w/ Bowen cmt type csg patch on 5½" 15.5# csg. Csg would not go below 335'. POH & SIFN.			
5-11-81	SIFN.			
PARTNER OPERATED WILDCAT WELLS				
5-12-81	PBSD 3550' w/ cmt ret. & POH w/ tbg & cutting tls			SIFD. Fin preparing to wsh dn hole.
5-13-81	PBSD 5550' w/ cmt ret. RU 2 hotoiler trucks & heater 100Bbbls 10PPG mud to 110'. PU & RIH w/ 7 3/4" notched wshover shoe on 2 7/8" tbg. Shoe set dn on heavy oil @ 310'. Started circ warm mud & mud broke out around surf. csg for about 4hrs & quit. Fin RIH w/ wshover shoe to cut off csg @ 1630'. Circ hole & SION due to high winds.			
5-14-81	PBSD 3550' w/ cmt ret & RU hot oil truck & heated 100Bbbls 10 PPG mud to 110°. Circ well bore for 2hrs. Started POH w/ 2 7/8" tbg & wshover shoe. Well started flwg out behind surf csg w/ 4 stds pipe in hole. Kept well bore full of mud until dead & fin POH w/ tbg. RU & RIH w/ Bowen cmt type csg patch @ 1630'-15.50# 8RD-J55 csg. RU Howco to cmt & tested patch to 500#-Ok. Couldn't get csg patch cmt ports to open. SIFN.			
5-15-81	PBSD 1530' w/ cmt patch. Cut off 5½" csg & welded on belled nipple. RU & RIH w/ 2 7/8" tbg opened to 1700'. Circ 5½" csg w/ 60Bbbls 110° LSE wtr. Stack out tbg & 5½" csg on cmt patch & circ 40Bbbls LSE-wtr. POH w/ 2 7/8" tbg & RU Howco. Est pump rate of BPM @ 500PSI. Cmt w/ 125sxs Howco Lite w/ 2% CC & 150sxs Class H w/ 2% CC. Displaced plug to 1530' or 100' above. Cmt patch & had good returns to surf w/ some cmt returns to surf. SIFN.			
5-16-81	Cleaned flat tank. Ready to drill out in morning. SION.			
5-17-81	PBSD 3550' w/ cmt ret. PU & RIH w/ 4 3/4" Dr1 bit, 4-3½" DC on 2 7/8" tbg. Set in on cmt @ 1425'. Drld cmt out of 5½" csg to cmt csg patch @ 1630'. Still have surf gases between 5½" & 8 5/8" csg. Gas on outside of 8 5/8" csg.			
5-18-81	PBSD 3550'. SI for weekend & will press tst 5½" csg & run CBL 5-18-81.			
\$148,000				
\$141,134	PBSD 3550' w/ cmt ret. & RIH w/ 2 7/8" tbg to clean out to 3550'. Hit bridge			
5-19-81	1900' & drilled out 62' of cmt. Cleaned out to 3550' & circ well clean. POH w/ tbg. RU GO WL to run cmt bond log & ran Bond log from 2000' to top of hole. w/ 500# to 800# press on 5½" csg. SION.			
May 19, 1981				

W. Valley No. 62

Make reports complete, such as description of casing ... Show, as soon as known, name of contractor, type of rig, and kind of fuel ... In guide margin show casing (as, 7"), "Contractor," "Shot," "Acidized," etc.

GUIDE MARGIN	DATE	YEAR	A. F. E.	LEASE AND WELL
--------------	------	------	----------	----------------

- 4-30-81 RIH w/ 686' of 2 7/8" open ended tbg. RU GO WL and ran static diff temp surv, faxed results to Casper. RU Hellanback Hot Oil Serv to circ hot wtr dn tbg and up csg. Circ 70Bbbs hot wtr and well did not flow. RD GO WL and Hellanback and ran 243' of 2 7/8" tbg into hole so btm of tbg @ 929'. RU Hellanback and GO. Circ 55BW and flow was est to 400Bbbs frac tank. GO ran diff temp surv from end of tbg to TD (cmt set @ 3580'). Faxed results to Casper & attempted to get well flowing again after it quit @ 3:30 but would not flow after circ and additional 70Bbbs of Hot wtr. SION to tank.
- 5-1-81 RU GO WL to run static diff temp logs. Ran 1st log from TD to end of tbg. 2nd from 950' to TD. Pull up hole ran two short repeat sections from TD-2400' and 1300'-950'. Faxed all results to Casper & RU Hellanback Hot Oil Serv to circ Hot Oil dn tbg and up csg. Circ w/70Bbbs more and could not est. flow. Ran in hole w/ 2jts of tbg to 988'. Circ w/ 100BW and still couldn't est flow. RIH w/ another 2jts of tbg and SION to tank. Will circ in morning.
- 5-2-81 End of tbg @ 1050'. Circ 70BW and well began to flow. GO WL was rigged up and btm of hole. Logged up hole and well quit flowing as log finished. Faxed results to Casper & circ w/ another 70BW and could not get well to flow. RD GO WL ran in two more jts to tbg to 1112' and set. RU GO WL. Circ w/ Hellanback Hot Oil Serv w/ 70BW. Did not flow. RD GO and ran tbg dn to 1856' and circ w/ 70BW. Well did not flow. RD GO WL and released. RD Hellanback & SION to tank.
- 5-5-81 WOO. SION.
- WONSITS VALLEY FIELD
Wonsits Valley Unit/State Federal No. 62
10-8S-21E, Uintah Co., UT.
1.000
AFE #82279 5-6 RIH w/ 2 7/8" tubing to PBTD & tagged @ 3580'. POH w/ 1st. & RU Hellanback Hot Oil Serv & Circ. w/ hot wtr. Well did not flow. Loaded hole w/ 10th mud. RU U.L. McCullough to run csg insp. log. Pools fell to 456' & stopped. POH
- 5-6-81 Will try to log w/ more sinker bar wt. SION.
- 5-7-81 PBTD 3550' w/ ~~GIB~~ ^{Cmt. Ret.} RU NL McCullough w/ csg inspection tls & extra sinker bar wt. RIH w/ tls to 275' & tls wouldn't go due to heavy wavey oil. POH w/ tls. PU & RIH w/ 5 1/2" scraper & 4 3/4" bit on 2 7/8" tbg to 1200'. POH w/ tbg & scraper. RU & RIH w/ McCullough insp tls, tls still wouldn't go. POH w/ tls. RU & RIH w/ 744' 2 7/8" tbg. Circ 35Bbbs warm lse wtr. POH w/ tbg. RU McCullough & inspected csg from 3338' to surf. Found csg w/ holes from 300' to 1100'. MIRU csg jacks. SIF
- 5-8-81 PBTD 3550' w/ cmt ret. Fin rigging up csg jacks. Lifted 5 1/2" csg off slips @ 188,000. RU NL McCullough to run free pt on csg. McCullough had trouble w/ tls & instrument panels 4hrs delay. Found free csg @ 1712'. SIFN.

W.V. U. No 62

Make reports complete, such as description of casing . . . Show, as soon as known, name of contractor, type of rig, and kind of fuel . . .
In guide margin show casing (as, 7"), "Contractor," "Shot," "Acidized," etc.

GUIDE MARGIN	DATE	YEAR	A. F. E.	LEASE AND WELL
--------------	------	------	----------	----------------

333,091

3-25-81 WOO. SI to tank.

3-26-81 WOO. SI to tank.

3-27-81 WOO.

PARTNER OPERATED UNIT

3-28/30-81 WOO. Rep proc will be transmitted this AM.

3-31-81 NR.

4-23-81 MIRU workover Unit (NL Well Serv). BOP's were still on well. POH w/ 1700' of tbg that was still in hole. RIH w/ 120jts, on 2 7/8" tbg taken from pipe yard that had been inspected. RIH w/ tbg that was open ended very slowly due to presence of oil. At 1500' wtr was present in tbg and RIH was easier. 5 1/2" csg and surface csg shut in to 900Bbls frac tank for night. SION.

4-24-81 RIH w/ 2 7/8" tbg 4995' KB & tagged CIBP. POH to 4945' and spotted 5 sxs of sd on CIBP. Pull up hole to 4745' and circ hole clean after allowing sd 1/2 hrs to settle to btm. RIH and tagged top of sd @ 4948'. Pull up hole to 4914' and RU Howco. Spotted 100' cmt plug from top of sd (4998') to approx 4848'. POH to 3544'. OWP broke axle on WL truck on location. Had to WO 2nd truck from Vernal. When truck arrived RU OWP and RIH to 3710'. Shot 6 sqz holes @ 3710' to 3712', all shot. RD OWP and released. POH w/ 2 7/8" tbg w/ well blowing oil out 5 1/2" csg and 8 5/8" surf. csg. PU Baker R-3 double grip pkr on 2 7/8" tbg and RIH to 626'. Had trouble w/ well blowing and full csg hard to run in, very slow. SION.

4-25-81 PBTB 5000' w/ CIBP. RU hot oil ^{truck} tank & pumped 50Bbls warm wtr. Fin RIH w/ tbg & pkr set @ 1258'. Ck perfs @ 3710'. Est pump rate 2 1/2 BPM @ 300PSI. POH w/ tbg & pkr. PU & RIH w/ cmt ret on 2 7/8" tbg set @ 3583'. RU Howco to sqz. Cmt job was scrubbed because of poor quality control on cmt slurry. (wt 8-9#). Over halfway thru job & rev cmt out hole. Shut dn & reorder cmt. Howco to send out supervisor. RU & sqz perf @ 3710'-12' w/ 100sxs Class H cmt. 14-16# slurry. Job went smooth & POH w/ tbg. SIFN.

4-26/27-81 SI. WOC.

4-28-81 RIH w/ 2 7/8" tbg and tagged cmt @ 3580'. PU 1jt tbg and RU Hellaback Hot Oil Serv and circ 70Bbls of Hot wtr dn tbg adn up csg. Well flowed up 5 1/2" csg. Let flow, & WOO. RU Hellanback Hot Oil Serv to circ cold form. wtr dn tbg to kill well. When dead.

4-28-81 RD Hellanback and pulled out of hole w/ 2 7/8" tbg. RU Dresser Atlas and ran cmt Bon Log from PBTB (cmt. ret) to 3100' (200' above cmt). Faxed results to Casper. RD Dresser Atlas. SION & WOO.

4-29-81 Will RU GO WL to run Gamma Ray Neutron, differential temp and sound logs. SION.

Hercules Valley Unit/State Federal No. 97

WVU No. 62

Make reports complete, such as description of casing . . . Show, as soon as known, name of contractor, type of rig, and kind of fuel . . . In guide margin show casing (as, 7"), "Contractor," "Shot," "Acidized," etc.

GUIDE MARGIN	DATE	YEAR	A. F. E.	LEASE AND WELL
--------------	------	------	----------	----------------

3-4-81 Fin rigging flowlines to tank and pit, from the 5½" csg and 8 5/8" surf. MIRU GO and Hellanback Hot Oil Service. Circ hot wtr dn 2 7/8" tbg and up 5½" csg. Well started flowing thru 5½" csg and surf. Ran temp. log from 0'-4000'. Well flow slowed dn when GO started round log, but PU during end of log. Ran another temp log from surf dn to 1900'. RD GO WL Serv. RU Hellanback Hot Oil Serv to heat Oil & wtr in tank for removal to WV Btry #5. RD Hellanback. Dalbo hauled 140Bbls to WV Btry #5. 100BO & 40BW for 140Bbls. FLOWed 100BO in 4hrs for 25BO/h. Shut well into tank overnight.

3-5-81 RD NL Well Service and rel H & H Const. Dug dn along csg to 14' and checked for holes. Found nothing after inspection. Backfilled hole. SI well to tank.

March 6, 1981

3-7-81 Shut into tank for weekend.

3-8-81 Tank gauge @ 2:00PM 3-7-81 is 13" or 22 Bbls. SION.

3-9-81 Well shut into tank w/ no change in volume.

3-10-81 Small amount of gas still bubbling into 400Bbls tank. Tank gauge @ 13". WO orders.

3-11-81 WO orders. Still 12" gauge reading, no change. SION.

3-12-81 Tank gauge 13", no change. WO orders. Shut into tank.

3-13-81 WOO.

3-14-81 WOO & no change in tank gauge 13".

3-15-81 WSI to tank & WOO. Tank gauge 13", no change. WSI to tank.

3-16-81 No change. WOO.

3-17-81 WOO. SI to tank.

3-18-81 WOO.

3-19-81 WOO.

3-20-81 WOO.

\$
3-21/23-81 WOO.

3-24-81 WOO.

Make reports complete, such as description of casing . . . Show, as soon as known, name of contractor, type of rig, and kind of fuel . . .
In guide margin show casing (as, 7"), "Contractor," "Shot," "Acidized," etc.

GUIDE MARGIN

DATE

YEAR

A. F. E.

LEASE AND WELL

Wonsits Valley Unit/State-Federal No.62

10-8S-21E, Uintah Co., UT

1.000

AFE #82279

\$48,000

2-17-81- Rep well csg. PBTD MIRU N-L Well Serv unseated insert pump. Ready to Hot Oil.
SION.

2-18-81 Hot Oiled Well dn tbg. Well blew out around surf csg. Heavy thick oil & gas &
RD Serv Unit. Dug pits to maintain Oil started cleaning up.

2-19/20-81 RU. WOU pull rods & tbg.

2-21-81 PU CIBP & Howco RTTS pkrs for 5½" 14# csg. Set CIBP @ 5000'. Tested csg in 500'
intervals to 1200PSI & csg held @ 925+tools & KB. Would not hold @ 894+ tools
& KB. Could not determine if pkr was not holding or hole in csg. POH w/ RTTS pkr
unloading valve full of heavy cold oil. At this depth pkr needs 1500# & temp
of 70° to set properly.

2-22/23-81 PU RTTS pkr & RIH. 8 stds in 3hrs. POH & LD pkr. RIH w/ tbg & rods.
Pulled rods & tbg LD in singles.

2-24-81 PBTD 5000' w/ CIBP. Fin POH w/ rods & LD in singles. RU & POH w/ 116jts 2 7/8" tbg
LD in singles. Left 54 jts (1701') & open end to circ oil & wax out of csg.
Repaired location. SION.

2-25-81 PBTD 5000' w/ CIBP. RU Hellanback & started circ 5½" csg w/ hotwtr @ 190° to clear
up csg of Oil & wax. Well started flowing out of 5½" csg w/ heavy thick oil & gas.
Est 75-100 BO into pit. Blew well dn & MO pulling unit to clean up loc. RU NL
McCullough & ran temp survey.

March 3, 1981

2-27-81 PBTD 5000' w/ CIBP. RU & WO unit. POH w/ tbg & PU 5½" csg scraper. RIH & circ v
warm lse wtr. 110° to 1700'. SION.

2-28-81 PBTD 5000' w/ CIBP. Circ csg w/ warm lse wtr (110°). POH w/ tbg & scraper. *Pu Howco RTTS pkr. RIH on 2 7/8 tubing.* Set
@ 1670'. Ck csg to 1000PSI. Ck csg up hole @ 1000PSI to 1st hole @ 577' to 598'.
Pulled pkr up into 5½" csg hanging in surf csg & set @ 280'. Ck back side to
1000PSI. Found top hole in 5½" csg @ 302' to 315'. POH w/tbg & pkr. SION.

3-3-81 NL Well Serv rig crew ran in hole w/ 1700' 2 7/8" tbg, 54jts went in hole. Spotted
100Bbls tank on location and proceeded to run lines from 5½" csg and from 8 5/8" csg
to tank w/ inline tees valved towards a pit. SION.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐ other ☐
well well
2. NAME OF OPERATOR
Gulf Oil Corporation, Attn: R. W. Huwaldt
3. ADDRESS OF OPERATOR
P. O. Box 2619, Casper, WY 82602-2619
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 660' SNL & 660' EWL (SW SW)
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

- TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

- ☐
☐
☒
☐
☐
☐
☐
☐

RECEIVED

APR 26 1984

DIVISION OF OIL
GAS & MINING

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

5. LEASE
U-0806
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
Wonsits Valley
8. FARM OR LEASE NAME
Wonsits Valley Unit St./Fed.
9. WELL NO.
62
10. FIELD OR WILDCAT NAME
Wonsits Valley
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Section 10-T8S-R21E
12. COUNTY OR PARISH 13. STATE
Uintah Utah
14. API NO.
43-047-20024
15. ELEVATIONS (SHOW DF, KDB, AND WD)
4845' KB

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Scale clean up of Lower Green River perms 5305'-5420' with BJ Hughes. Treatment down tbg-csg annulus as follows: 1,750 gal 15% Hcl w/5% mutual solvent J-40, 0.5% anti-sludging surfactant J-32, 0.5% non-emulsifying surfactant J-7, 0.5% fines suspending surfactant J-16, 0.5% clay-stabilizer "Clay Trol", 40#/1,000 gal iron sequestering agent Z-3. All surfactants chosen using API RP42 dated, 1977. Flushed to perms w/2% Kcl FSW, AIR 5 BPM, AIP 250 psi, ISIP vacuum.

Work performed March 23, 1984.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED D. F. McHugo TITLE Petroleum Engineer DATE April 24, 1984

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APR 25 1985

SUNDRY NOTICES AND REPORTS ON WELLS

DIVISION (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

GAS & MINING

1. oil well ☐ gas well ☐ other ☐

2. NAME OF OPERATOR

GULF OIL CORPORATION ATTN R.W.HUWALDT

3. ADDRESS OF OPERATOR

P O BOX 2619, CASPER, WY 82602 2619

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE:

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON* ☐

(other) Blanket Sundry ☐

5. LEASE

U-0806

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Wonsit Valley

8. FARM OR LEASE NAME

Wonsits Valley Unit St/Fed

9. WELL NO.

#62

10. FIELD OR WILDCAT NAME

Wonsits Valley

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

85. 21E. 10

12. COUNTY OR PARISH: 13. STATE
Uintah Utah

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Per conversation between K. S. Aslesen & J. Sparger, on March 27, 1985, Temporary lined work pits will be used for all future casing repair work.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

J.R. Bocer

TITLE AREA ENGINEER

DATE

APR 19 1985

J.R. BOCKER (This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

Gulf Oil Exploration and Production Company

L. G. Rader
PRODUCTION MANAGER - CASPER AREA

July 2, 1985

P. O. Box 2619
Casper, WY 82602

State of Utah
Division of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

RECEIVED

JUL 05 1985

Gentlemen:

DIVISION OF
GAS & MINES

Effective July 1, 1985, the corporate name of Gulf Oil Corporation was changed to Chevron U.S.A. Inc. This will be applicable to all operations, agreements, contracts, documents, and permits of Gulf Oil Corporation in the area of and/or under your jurisdiction.

The attached information is being furnished to facilitate the name change of appropriate records under your authority, and submitted as our understanding of the procedure required to accomplish the change.

Please advise this office or the office listed on the attachments should additional information be needed.

Sincerely,



L. G. Rader

KWR/mdb

Attachments



A DIVISION OF GULF OIL CORPORATION

TELEPHONE: (307) 235-1311

32

<u>Lease Name</u>	<u>Field</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>County</u>	<u>State</u>
Wonsits Valley Unit #54	Wonsits WV	7	8S	22E	Uintah	UT
Wonsits Valley Unit #55	Wonsits WV	14	8S	21E	Uintah	UT
Wonsits Valley Unit #56	Wonsits WV	1	8S	21E	Uintah	UT
Wonsits Valley Unit #57	Wonsits WV	2	8S	21E	Uintah	UT
Wonsits Valley Unit #58	Wonsits WV	13	8S	21E	Uintah	UT
Wonsits Valley Unit #59	Wonsits WV	14	8S	21E	Uintah	UT
Wonsits Valley Unit #6	Wonsits WV	7	8S	22E	Uintah	UT
Wonsits Valley Unit #60	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #61	Wonsits WV	18	8S	21E	Uintah	UT
Wonsits Valley Unit #62	Wonsits WV	10	8S	21E	Uintah	UT
Wonsits Valley Unit #63	Wonsits WV	10	8S	21E	Uintah	UT
Wonsits Valley Unit #65	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #66	Wonsits WV	14	8S	21E	Uintah	UT
Wonsits Valley Unit #67	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #68	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #69	Wonsits WV	18	8S	22E	Uintah	UT
Wonsits Valley Unit #70	Wonsits WV	13	8S	21E	Uintah	UT
Wonsits Valley Unit #71	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #72	Wonsits WV	16	8S	21E	Uintah	UT
Wonsits Valley Unit #73	Wonsits WV	16	8S	21E	Uintah	UT
Wonsits Valley Unit #74	Wonsits WV	16	8S	21E	Uintah	UT
Wonsits Valley Unit #75	Wonsits WV	16	8S	21E	Uintah	UT
Wonsits Valley Unit #78	Wonsits WV	16	8S	21E	Uintah	UT
Wonsits Valley Unit #8	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #80	Wonsits WV	23	8S	21E	Uintah	UT
Wonsits Valley Unit #81	Wonsits WV	24	8S	21E	Uintah	UT
Wonsits Valley Unit #82	Wonsits WV	24	8S	21E	Uintah	UT
Wonsits Valley Unit #83	Wonsits WV	23	8S	21E	Uintah	UT
Wonsits Valley Unit #84-2	Wonsits WV	23	8S	21E	Uintah	UT
Wonsits Valley Unit #85	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #86	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #87	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #88-2	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #89	Wonsits WV	7	8S	22E	Uintah	UT
Wonsits Valley Unit #9	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #92	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #93	Wonsits WV	11	8S	21E	Uintah	UT
Wonsits Valley Unit #94	Wonsits WV	11	8S	21E	Uintah	UT

Q6/27/85
leases gulf operated/file2

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE
(Other instructions on reverse side)

120126

Form approved
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. UNIT AGREEMENT NAME Wonsits Valley Fed. Unit
2. NAME OF OPERATOR Chevron USA Inc.	8. FARM OR LEASE NAME Wonsits Valley
3. ADDRESS OF OPERATOR P. O. Box 599, Denver, Colorado 80201	9. WELL NO. #62
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 660' FSL, 660' FWL (SW-SW)	10. FIELD AND POOL, OR WILDCAT Wonsits-Wonsits Valley
14. PERMIT NO. 43-047.20024	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 10, T8S, 21E
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4845' KB	12. COUNTY OR PARISH Uintah
	13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input checked="" type="checkbox"/>	ABANDON*	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
(Other)	<input type="checkbox"/>		

SUBSEQUENT REPORT OF:

WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
FRACTURE TREATMENT	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
SHOOTING OR ACIDIZING	<input type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>
(Other)	<input type="checkbox"/>		

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is proposed to acid stimulate well as follows:

1. MIR. N/U BOPE. Pull production equipment.
2. Clean out to PBTD.
3. Run retrievable tools. Pressure test casing above perfs.
4. Acidize perfs 5305-15', 5352-62' and 5405-20' with 3000 Gals. 15% Hcl acid and 1500 Gals benzoic acid flake diversion.
5. Swab back acid load. POOH with tools.
6. Run production equipment.
7. Release rig.

NOV 25 1986

DIVISION OF
OIL, GAS & MINING

3-BLM
3-State
1-EEM
1-MKD
2-Drlg
1-File

18. I hereby certify that the foregoing is true and correct

SIGNED

J. S. Walker

Office Assistant
TITLE Regulatory Affairs

DATE November 18, 1986

(This space for Federal or State office use)

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

TITLE

ACCEPTED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

DATE: 11-28-86

BY: John R. Bay

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

U-0806

01090413

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Wonsits Valley Fed Unit

8. FARM OR LEASE NAME

Wonsits Valley

9. WELL NO.

#62

10. FIELD AND POOL, OR WILDCAT

Wonsits-Wonsits Valley

11. SEC., T., E., M., OR BLK. AND
SURVEY OR AREA

Sec. 10, T8S, R21E

12. COUNTY OR PARISH 13. STATE

Uintah

Utah

1. OIL ☒ GAS ☐
WELL WELL OTHER

2. NAME OF OPERATOR

Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR

P. O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

660' FSL, 660' FWL (SW-SW)

14. PERMIT NO.

43-047-20024

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4845' (KB)

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(Note: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

The following work was completed 12-11-86.

1. Moved in and rigged up Western Rig No. 18 12-6-86.
2. POOH with rods and pump. N/U BOPE. Pull production equipment.
3. Run retrievable tools. Set pkr. above perfs. Tested CSG to 1000 psi. Held ok.
4. Acidized perfs 5305'-5420' with 3000 Gals 15% Hcl acid with Diversion. Swabbed acid load. POOH with tools.
5. Run production Equipment. Released rig.

RECEIVED
JAN 07 1987

DIVISION OF
OIL, GAS & MINING

3-BLM
3-State
1-EEM
3-Drlg.
1-File
1-JSL
1-Sec. 724-C

18. I hereby certify that the foregoing is true and correct

SIGNED

J. J. Watson

Office Assistant
TITLE Regulatory Affairs

DATE December 16, 1986

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

20024


20024

Sec 10, T8 S, R21E

Chubly 4/19/87

N

Pumpjack



well head

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPlicate
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

13

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug
Use "APPLICATION FOR PERMIT—" for such

RECEIVED
JUN 20 1988

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. UNIT AGREEMENT NAME Wonsits Valley Federal Unit
2. NAME OF OPERATOR Chevron U.S.A. Inc., Room #11111	8. FARM OR LEASE NAME WVFU
3. ADDRESS OF OPERATOR P. O. Box 599, Denver, Colorado 80201	9. WELL NO. 62
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 660' FSL, 660' FWL (SW, SW)	10. FIELD AND POOL, OR WILDCAT Wonsits Valley
14. PERMIT NO. 43-047-20024	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 10, T8S, R21E
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4,845' KB	12. COUNTY OR PARISH Uintah
	13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETION <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) <input type="checkbox"/>	

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) <input type="checkbox"/>	

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

WVFU #62 was fracture stimulated as follows:

1. MIRU Western Oil Well Service Rig #18 on 6/2/88. POOH w/rods and pump.
2. ND wellhead. NU and tested BOPE. POOH with production tubing.
3. Cleaned out to 5,446' (PBDT).
4. Tested annulus to 500 psi. No leaks. Tested tbg to 5,000 psi. No leaks. Fraced 5,352'-5,420' (F-4 and G-1) with 21,640 gals. gelled water and 21,000 lbs. 16/30 sand at 15 BPM and 3,000 psi. Fraced 5,305'-15' (F-2) with 11,120 gals. gelled water and 11,500 lbs. 16/30 sand at 15 BPM at 3,750 psi.
5. Cleaned out to 5,446' (PBDT).
6. Ran production string. ND BOPE. NU wellhead. Ran pump and rods.
7. Placed well on production. Released rig 6/8/88.

Verbal approval obtained from Jerry Kenzcka (BLM - Vernal) on 5/27/88.

- 3 - BLM
- 3 - State
- 1 - EEM
- 1 - MKD
- 2 - Drlg.
- 1 - PLM
- 1 - Sec. 724-C
- 1 - File

OIL AND GAS	
DRN	RJF
JRB	GLH
DTS	SLS
1-TAS	
2-MICROFILM	
3-FILE	

18. I hereby certify that the foregoing is true and correct.

SIGNED *J. Watson* TITLE Technical Assistant

DATE June 13, 1988

(This space for Federal or State office use)

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

DATE

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well Oil Gas <input type="checkbox"/> Well <input type="checkbox"/> Well <input checked="" type="checkbox"/> Other MULTIPLE WELLS SEE ATTACHED LIST	5. Lease Designation and Serial No.
2. Name of Operator CHEVRON U.S.A. INC.	6. If Indian, Allottee or Tribe Name N/A
3. Address and Telephone No. 11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300	7. If Unit or CA, Agreement Designation Wonsits Valley Federal Unit 14-08-001-8482
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)	8. Well Name and No.
	9. API Well No.
	10. Field and Pool, or Exploratory Area Wonsits Valley - Green River
	11. County or Parish, State UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

As of January 1, 2000 Chevron U.S.A. Inc. resigns as Operator of the Wonsits Valley Unit.
The Unit number is 14-08-001-8482 effective November 23, 1962.

The successor operator under the Unit Agreement will be
Shenandoah Energy Inc.
475 17th Street, Suite 1000
Denver, CO 80202

Agreed and accepted to this 29th day of December, 1999

Shenandoah Energy Inc.

By: Mitchell L. Solich
Mitchell L. Solich
President

RECEIVED

DEC 30 1999

DIVISION OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.
Signed A. E. Wacker A. E. Wacker Title Assistant Secretary Date 12/29/99


(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____
Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

OPERATOR CHANGE WORKSHEET

ROUTING

	4-KA <input checked="" type="checkbox"/>
2. CDW <input checked="" type="checkbox"/>	5- ST <input checked="" type="checkbox"/>
3. JLT	6-FILE

Enter date after each listed item is completed

X Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective:

01/01/2000**FROM:** (Old Operator):

CHEVRON USA INC

Address: 11002 E. 17500 S.

VERNAL, UT 84078-8526

Phone: 1-(435)-781-4300

Account No. N0210

TO: (New Operator):

SHENANDOAH ENERGY INC

Address: 11002 E. 17500 S.

VERNAL, UT 84078

Phone: 1-(435)-781-4300

Account No. N4235

WELL(S)	CA No.		Unit: WONSITS VALLEY			
	NAME	API	ENTITY	SECTION	TOWNSHIP	RANGE LEASE
WVUFU 48		43-047-15476	5265	10	08S	21E FEDERAL
WVUFU 53		43-047-20003	5265	10	08S	21E FEDERAL
WVUFU 62		43-047-20024	5265	10	08S	21E FEDERAL
WVUFU 105		43-047-30023	5265	10	08S	21E FEDERAL
WVUFU 128		43-047-30798	5265	10	08S	21E FEDERAL
WVUFU 43		43-047-15471	5265	11	08S	21E FEDERAL
WVUFU 55		43-047-20005	5265	14	08S	21E FEDERAL
WVUFU 103		43-047-30021	5265	14	08S	21E FEDERAL
WVUFU 110		43-047-30046	5265	14	08S	21E FEDERAL
WVUFU 121		43-047-31873	5265	14	08S	21E FEDERAL
WVUFU 65		43-047-20041	5265	15	08S	21E FEDERAL
WVUFU 104		43-047-30022	5265	15	08S	21E FEDERAL
WVUFU 109		43-047-30045	5265	15	08S	21E FEDERAL
WVUFU 112		43-047-30048	5265	15	08S	21E FEDERAL
WVUFU 124		43-047-30745	5265	15	08S	21E FEDERAL
WVUFU 132		43-047-30822	5265	15	08S	21E FEDERAL
WVUFU 133		43-047-31706	5265	15	08S	21E FEDERAL
WVUFU 119		43-047-32461	5265	21	08S	21E FEDERAL
WVUFU 135-2		43-047-32016	5265	21	08S	21E FEDERAL
WVUFU 136		43-047-31047	5265	21	08S	21E FEDERAL
WVUFU 130		43-047-32307	5265	22	08S	21E FEDERAL

OPERATOR CHANGES DOCUMENTATION

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/30/1999
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 08/09/2000
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 08/22/2000

4. Is the new operator registered in the State of Utah: YES Business Number: 224885

5. If **NO**, the operator was contacted contacted on: _____

6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 02/04/2000

7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: 02/04/2000

8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A

9. **Underground Injection Control ("UIC"** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 08/22/2000

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 08/22/2000

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: N/A

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed has furnished a bond: N/A

2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

FILMING:

1. All attachments to this form have been **MICROFILMED** on: 3.5.01

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filled in each well file on: _____

COMMENTS:



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

RECEIVED

FEB 07 2000

DIVISION OF
OIL, GAS AND MINING

IN REPLY REFER TO
UT-931

February 4, 2000

Shenandoah Energy Inc.
Attn: Rae Cusimano
475 17th Street, Suite 1000
Denver, Colorado 80202

Re: Wonsits Valley Unit
Uintah County, Utah

Gentlemen:

On December 30, 1999, we received an indenture whereby Chevron U.S.A. Inc. resigned as Unit Operator and Shenandoah Energy Inc. was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 4, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Wonsits Valley Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0969 will be used to cover all operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

cc: Chevron U.S.A. Inc.

bcc: Field Manager - Vernal (w/enclosure)
Division of Oil, Gas & Mining
Minerals Adjudication Group U-932
File - Wonsits Valley Unit (w/enclosure)
MMS - Data Management Division
Agr. Sec. Chron
Fluid Chron

UT931:TAThompson:tt:2/4/00

Well	Lease	API Number	Status	Type
Wonsits Valley Federal Unit 9	U-0806	43-047-15440	TA	INJ
Wonsits Valley Federal Unit 16	U-0807	43-047-15447	A	INJ
Wonsits Valley Federal Unit 21	ML-2237	43-047-15452	A	INJ
Wonsits Valley Federal Unit 28-2	U-0806	43-047-31524	A	INJ
Wonsits Valley Federal Unit 31	U-0807	43-047-15460	A	INJ
Wonsits Valley Federal Unit 32	ML-2237	43-047-16513	A	OIL
Wonsits Valley Federal Unit 35	U-0807	43-047-15463	A	INJ
Wonsits Valley Federal Unit 36	U-0806	43-047-15464	A	INJ
Wonsits Valley Federal Unit 40-2	U-0806	43-047-31798	A	INJ
Wonsits Valley Federal Unit 41	U-0807	43-047-15469	A	INJ
Wonsits Valley Federal Unit 43	U-0806	43-047-15471	A	OIL
Wonsits Valley Federal Unit 48	U-0806	43-047-15476	A	OIL
Wonsits Valley Federal Unit 50	U-0807	43-047-15477	A	INJ
Wonsits Valley Federal Unit 53	U-0806	43-047-20003	A	OIL
Wonsits Valley Federal Unit 55	U-0807	43-047-20005	A	OIL
Wonsits Valley Federal Unit 59	U-0807	43-047-20018	A	INJ
Wonsits Valley Federal Unit 62	U-0806	43-047-20024	A	OIL
Wonsits Valley Federal Unit 65	U-0807	43-047-20041	A	OIL
Wonsits Valley Federal Unit 67	U-0807	43-047-20043	A	INJ
Wonsits Valley Federal Unit 68	U-0807	43-047-20047	A	INJ
Wonsits Valley Federal Unit 71-2	U-0807	43-047-32449	A	INJ
Wonsits Valley Federal Unit 72	ML-2237A	43-047-20058	A	INJ
Wonsits Valley Federal Unit 73	ML-2237	43-047-20066	A	INJ
Wonsits Valley Federal Unit 74	ML-2237	43-047-20078	A	OIL
Wonsits Valley Federal Unit 75	ML-2237	43-047-20085	A	OIL
Wonsits Valley Federal Unit 78	ML-2237	43-047-20115	A	INJ
Wonsits Valley Federal Unit 97	U-0806	43-047-30014	A	INJ
Wonsits Valley Federal Unit 103	U-0807	43-047-30021	A	OIL
Wonsits Valley Federal Unit 104	U-0807	43-047-30022	A	OIL
Wonsits Valley Federal Unit 105	U-0806	43-047-30023	A	OIL
Wonsits Valley Federal Unit 109	U-0807	43-047-30045	A	OIL
Wonsits Valley Federal Unit 110	U-0807	43-047-30046	A	OIL
Wonsits Valley Federal Unit 112	U-0807	43-047-30048	A	OIL
Wonsits Valley Federal Unit 119	U-0804	43-047-32461	A	OIL
Wonsits Valley Federal Unit 120	U-0804	43-047-32462	A	INJ
Wonsits Valley Federal Unit 121	U-0807	43-047-31873	A	OIL
Wonsits Valley Federal Unit 124	U-0807	43-047-30745	A	OIL
Wonsits Valley Federal Unit 126	U-0804	43-047-30796	A	INJ
Wonsits Valley Federal Unit 127	STATE	43-047-31611	A	OIL
Wonsits Valley Federal Unit 128	U-0806	43-047-30798	A	OIL
Wonsits Valley Federal Unit 130	U-0804	43-047-32307	A	OIL
Wonsits Valley Federal Unit 132	U-0807	43-047-30822	A	OIL
Wonsits Valley Federal Unit 133	U-0807	43-047-31706	A	OIL
Wonsits Valley Federal Unit 134	ML-2237	43-047-31118	A	OIL
Wonsits Valley Federal Unit 135-2	U-0804	43-047-32016	A	OIL
Wonsits Valley Federal Unit 136	U-0804	43-047-31047	A	OIL
Wonsits Valley Federal Unit 137	U-0806	43-047-31523	A	OIL
Wonsits Valley Federal Unit 140	U-0807	43-047-31707	A	INJ
Wonsits Valley Federal Unit 141	ML-2237	43-047-31609	A	OIL

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH

2. CDW

3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

2/1/2003

FROM: (Old Operator):	TO: (New Operator):
N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	N2460-QEP Uinta Basin Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341

CA No.

Unit:

WONSITS VALLEY UNIT

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	Confid
WVU 48	10	080S	210E	4304715476	5265	Federal	OW	P	
WVU 53	10	080S	210E	4304720003	5265	Federal	OW	P	
WVU 62	10	080S	210E	4304720024	5265	Federal	OW	P	
WVU 105	10	080S	210E	4304730023	5265	Federal	OW	P	
WVU 128	10	080S	210E	4304730798	5265	Federal	OW	P	
WVU 43	11	080S	210E	4304715471	5265	Federal	OW	P	
WVU 55	14	080S	210E	4304720005	5265	Federal	OW	P	
WVU 103	14	080S	210E	4304730021	5265	Federal	OW	P	
WVU 110	14	080S	210E	4304730046	5265	Federal	OW	P	
WVU 65	15	080S	210E	4304720041	5265	Federal	OW	P	
WVU 104	15	080S	210E	4304730022	5265	Federal	OW	P	
WVU 109	15	080S	210E	4304730045	5265	Federal	OW	P	
WVU 112	15	080S	210E	4304730048	5265	Federal	OW	P	
WVU 124	15	080S	210E	4304730745	5265	Federal	OW	P	
WVU 132	15	080S	210E	4304730822	5265	Federal	OW	P	
WVU 32	16	080S	210E	4304716513	5265	State	OW	P	
WVU 74	16	080S	210E	4304720078	5265	State	OW	P	
WVU 75	16	080S	210E	4304720085	5265	State	OW	P	
WVU 136	21	080S	210E	4304731047	5265	Federal	OW	P	
WVU 83	23	080S	210E	4304720205	12436	Federal	GW	P	

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/2003
3. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/19/2003
4. Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151
5. If **NO**, the operator was contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 9/16/2003

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 9/16/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 965-003-032

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: ESB000024

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 799446

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 965-003-033

2. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

May 28, 2003

Division of Oil, Gas, & Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801


Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,



Frank Nielsen
Division Landman

Enclosure

RECEIVED

JUN 02 2003

DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

June 9, 2003

QEP Uinta Basin, Inc.
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Wonsits Valley Unit
Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed its name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Wonsits Valley Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
Minerals Adjudication Group
File – Wonsits Valley Unit (w/enclosure)
Agr. Sec. Chron
Fluid Chron

UT922:TAThompson:tt:6/9/03

JUL 07 2003

3104 (932.34)WF
Nationwide Bond ESB000024

NOTICE

QEP Uinta Basin, Inc.
1050 17th Street Suite 500
Denver, Colorado 80265

:
: Oil and Gas
: lease
:

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

S/Wilbert B. Forbes

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning,
Use and Protection

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Uinta Basin
MFO

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field		county	type	lease #	bond #
WVU 16	15	080S	210E	4304715447	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 21	16	080S	210E	4304715452	99990	State	WI	A		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 31	14	080S	210E	4304715460	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 35	14	080S	210E	4304715463	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 36	10	080S	210E	4304715464	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 41	15	080S	210E	4304715469	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 43	11	080S	210E	4304715471	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 48	10	080S	210E	4304715476	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 50	15	080S	210E	4304715477	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 32	16	080S	210E	4304716513	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 53	10	080S	210E	4304720003	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 55	14	080S	210E	4304720005	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 59	14	080S	210E	4304720018	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 60	15	080S	210E	4304720019	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 62	10	080S	210E	4304720024	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 65	15	080S	210E	4304720041	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 67	15	080S	210E	4304720043	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 68	15	080S	210E	4304720047	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 72	16	080S	210E	4304720058	99990	State	WI	A		WONSITS VALLEY	710	S	UINTAH	3	ML-2237A	159261960
WVU 73	16	080S	210E	4304720066	5265	State	WI	A		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 74	16	080S	210E	4304720078	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 75	16	080S	210E	4304720085	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 78	16	080S	210E	4304720115	99990	State	WI	A		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 83	23	080S	210E	4304720205	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0809	UT-0969
WVU 97	11	080S	210E	4304730014	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 103	14	080S	210E	4304730021	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 104	15	080S	210E	4304730022	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 105	10	080S	210E	4304730023	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 109	15	080S	210E	4304730045	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 110	14	080S	210E	4304730046	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 112	15	080S	210E	4304730048	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 124	15	080S	210E	4304730745	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	
WVU 126	21	080S	210E	4304730796	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVU 128	10	080S	210E	4304730798	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 132	15	080S	210E	4304730822	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 136	21	080S	210E	4304731047	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVU 134	16	080S	210E	4304731118	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 137	11	080S	210E	4304731523	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 28-2	11	080S	210E	4304731524	99990	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 141	16	080S	210E	4304731609	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 127	16	080S	210E	4304731611	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 142	16	080S	210E	4304731612	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 133	15	080S	210E	4304731706	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 140	15	080S	210E	4304731707	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 40-2	10	080S	210E	4304731798	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	unit_name	field	county	type	lease #	bond #	
WVU 144	10	080S	210E	4304731807	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 143	10	080S	210E	4304731808	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 145	18	080S	220E	4304731820	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVU 121	14	080S	210E	4304731873	5265	Federal	OW	S	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 135-2	21	080S	210E	4304732016	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVU 130	22	080S	210E	4304732307	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVU 71-2	15	080S	210E	4304732449	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 119	21	080S	210E	4304732461	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVU 120	22	080S	210E	4304732462	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVU 54 WG	07	080S	220E	4304732821	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-22158	UT-0969
WVU 69 WG	18	080S	220E	4304732829	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVU 38 WG	08	080S	220E	4304732831	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 49 WG	08	080S	220E	4304732832	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 138 WG	18	080S	220E	4304733054	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVU 14 WG	12	080S	210E	4304733070	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-806	UT-0969
WVU 11 WG	12	080S	210E	4304733085	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 81 WG	24	080S	210E	4304733086	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0810	UT-0969
WVU 146 WG	19	080S	220E	4304733128	12436	Federal	GW	P	WONSITS VALLEY	630	S	UINTAH	1	U-057	UT-0969
WVU 1W-14-8- 21	14	080S	210E	4304733220	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 5W-13- 8-21	13	080S	210E	4304733221	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 9W-13-8-21	13	080S	210E	4304733223	12436	State	GW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-3084A	159261960
WVU 46 WG	07	080S	220E	4304733241	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 2W-16-8-21	16	080S	210E	4304733246	12436	State	GW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 2G-16-8-21	16	080S	210E	4304733247	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 9W-14-8-21	14	080S	210E	4304733269	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 7W-13-8-21	13	080S	210E	4304733270	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 1W-18-8-22	18	080S	220E	4304733294	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVU 11W-8-8-22	08	080S	220E	4304733295	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 3W-8-8-22	08	080S	220E	4304733493	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 5W-7-8-22	07	080S	220E	4304733494	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 11W-7-8-22	07	080S	220E	4304733495	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 13W-7-8-22	07	080S	220E	4304733496	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 1W-7-8-22	07	080S	220E	4304733501	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 3W-7-8-22	07	080S	220E	4304733502	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WV 7WRG-7-8-22	07	080S	220E	4304733503	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WVU 6W-16-8-21	16	080S	210E	4304733527	12436	State	GW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 16W-9-8-21	09	080S	210E	4304733529	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0805	UT-0969
WVU 1W-12-8-21	12	080S	210E	4304733531	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 1W-13-8-21	13	080S	210E	4304733532	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 3W-18-8-22	18	080S	220E	4304733533	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVU 9W-12-8-21	12	080S	210E	4304733534	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 11W-12-8-21	12	080S	210E	4304733535	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 11W-13-8-21	13	080S	210E	4304733536	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 13W-12-8-21	12	080S	210E	4304733537	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 13W-18-8-22	18	080S	220E	4304733538	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field		county	type	lease #	bond #
WVFU 6G-16-8-21	16	080S	210E	4304733564	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVFU 16G-9-8-21	09	080S	210E	4304733565	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0805	UT-0969
WVFU 1W-21-8-21	21	080S	210E	4304733602	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-68217	UT-0969
WVFU 3W-13-8-21	13	080S	210E	4304733603	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 3W-22-8-21	22	080S	210E	4304733604	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVFU 3W-24-8-21	24	080S	210E	4304733605	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0810	UT-0969
WVFU 13W-13-8-21	13	080S	210E	4304733606	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 13W-14-8-21	14	080S	210E	4304733607	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 15W-13-8-21	13	080S	210E	4304733608	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 1W-24-8-21	24	080S	210E	4304733613	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0810	UT-0969
WVFU 11W-18-8-22	18	080S	220E	4304733626	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVFU 16W-2-8-21	02	080S	210E	4304733645	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2785	159261960
WVFU 9W-2-8-21	02	080S	210E	4304733648	12436	State	GW	P		WONSITS VALLEY	2	S	UINTAH	3	ML-2785	159261960
WVFU 12W-16-8-21	16	080S	210E	4304733649	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVFU 12G-16-8-21	16	080S	210E	4304733650	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVFU 2W-10-8-21	10	080S	210E	4304733655	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 4W-11-8-21	11	080S	210E	4304733657	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 12W-10-8-21	10	080S	210E	4304733659	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 12G-10-8-21	10	080S	210E	4304733660	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 15W-9-8-21	09	080S	210E	4304733661	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0805	UT-0969
WVFU 15G-9-8-21	09	080S	210E	4304733662	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0805	UT-0969
WVFU 2W-13-8-21	13	080S	210E	4304733791	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 6W-13-8-21	13	080S	210E	4304733792	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 8W-13-8-21	13	080S	210E	4304733793	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 10W-1-8-21	01	080S	210E	4304733794	12436	Federal	GW	S		WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WVFU 10W-13-8-21	13	080S	210E	4304733795	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 16W-13-8-21	13	080S	210E	4304733796	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-3084	159261960
WVFU 12W-7-8-22	07	080S	220E	4304733808	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 6W-8-8-22	08	080S	220E	4304733811	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 7W-8-8-22	08	080S	220E	4304733812	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 10W-7-8-22	07	080S	220E	4304733813	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 10W-8-8-22	08	080S	220E	4304733814	13450	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 12W-8-8-22	08	080S	220E	4304733815	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 14W-7-8-22	07	080S	220E	4304733816	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 16W-7-8-22	07	080S	220E	4304733817	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 6W-7-8-22	07	080S	220E	4304733828	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 6W-18-8-22	18	080S	220E	4304733842	12436	Federal	GW	P	C	WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVFU 6WC-18-8-22	18	080S	220E	4304733843	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVFU 6WD-18-8-22	18	080S	220E	4304733844	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVFU 5W-23-8-21	23	080S	210E	4304733860	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0809	UT-0969
WVFU 7W-23-8-21	23	080S	210E	4304733861	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0809	UT-0969
WVFU 8W-12-8-21	12	080S	210E	4304733862	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 10W-12-8-21	12	080S	210E	4304733863	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 14W-12-8-21	12	080S	210E	4304733864	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 16W-12-8-21	12	080S	210E	4304733865	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field		county	type	lease #	bond #
WVFU 1W-15-8-21	15	080S	210E	4304733902	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 1W-22-8-21	22	080S	210E	4304733903	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-06304	UT-0969
WVFU 1W-23-8-21	23	080S	210E	4304733904	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0809	UT-0969
WVFU 6W-11-8-21	11	080S	210E	4304733906	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WV 7W-22-8-21	22	080S	210E	4304733907	13230	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVFU 7W-24-8-21	24	080S	210E	4304733908	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0810	UT-0969
WVFU 10W-11-8-21	11	080S	210E	4304733910	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 11W-15-8-21	15	080S	210E	4304733911	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 11W-17-8-21	17	080S	210E	4304733912	13228	Federal	GW	P		WONSITS VALLEY	2	S	UINTAH	1	UTU-68219	UT-0969
WVFU 13W-11-8-21	11	080S	210E	4304733913	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 13W-15-8-21	15	080S	210E	4304733914	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 15W-10-8-21	10	080S	210E	4304733916	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 15W-15-8-21	15	080S	210E	4304733917	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 5W-14-8-21	14	080S	210E	4304733953	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 7W-14-8-21	14	080S	210E	4304733955	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 8W-11-8-21	11	080S	210E	4304733957	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 8W-14-8-21	14	080S	210E	4304733958	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 9W-15-8-21	15	080S	210E	4304733959	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 12W-13-8-21	13	080S	210E	4304733961	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 14W-13-8-21	13	080S	210E	4304733962	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WVFU 15W-14-8-21	14	080S	210E	4304733963	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 2W-18-8-22	18	080S	220E	4304733986	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WV 8W-18-8-22	18	080S	220E	4304733989	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-9617	UT-0969
WVFU 10W-18-8-22	18	080S	220E	4304733991	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVFU 12W-18-8-22	18	080S	220E	4304733993	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WV 14W-18-8-22	18	080S	220E	4304733995	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVFU 6W-1-8-21	01	080S	210E	4304734008		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WVFU 8W-1-8-21	01	080S	210E	4304734009	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WV 10G-2-8-21	02	080S	210E	4304734035	5265	State	OW	P		WONSITS VALLEY	2	S	UINTAH	3	ML-2785	159261960
WV 14G-2-8-21	02	080S	210E	4304734036	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2785	159261960
WV 4W-17-8-22	17	080S	220E	4304734038	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-055	UT-0969
WV 16W-1-8-21	01	080S	210E	4304734047		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WV 13G-2-8-21	02	080S	210E	4304734068	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2785-A	159261960
WV 5G-16-8-21	16	080S	210E	4304734107	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 12G-1-8-21	01	080S	210E	4304734108	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WV 2W-14-8-21	14	080S	210E	4304734140	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	U-0969
GH 2W-21-8-21	21	080S	210E	4304734141	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969
WV 2W-23-8-21	23	080S	210E	4304734142	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0809	U-0969
GH 3W-21-8-21	21	080S	210E	4304734143	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969
WV 4W-13-8-21	13	080S	210E	4304734144	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
GH 4W-21-8-21	21	080S	210E	4304734145	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	UT-0969
WV 4W-22-8-21	22	080S	210E	4304734146	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969
WV 16W-11-8-21	11	080S	210E	4304734155	12436	Federal	GW	S		WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 3W-19-8-22	19	080S	220E	4304734187	12436	Federal	GW	P		WONSITS VALLEY	630	S	UINTAH	1	UTU-057	UT-0969
WV 4W-23-8-21	23	080S	210E	4304734188	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-809	UT-0969

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field		county	type	lease #	bond #
WV 6W-23-8-21	23	080S	210E	4304734189	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-809	UT-0969
WV 11W-16-8-21	16	080S	210E	4304734190	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 13W-16-8-21	16	080S	210E	4304734191	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237A	159261960
WV 14W-16-8-21	16	080S	210E	4304734192	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 15W-16-8-21	16	080S	210E	4304734224	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 16W-16-8-21	16	080S	210E	4304734225	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237A	159261960
WV 2W-15-8-21	15	080S	210E	4304734242	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 2W-22-8-21	22	080S	210E	4304734243	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	UT-0969
WV 4W-14-8-21	14	080S	210E	4304734244	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WV 6W-12-8-21	12	080S	210E	4304734245	12436	Federal	GW	TA		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WV 7W-15-8-21	15	080S	210E	4304734246	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WV 8W-15-8-21	15	080S	210E	4304734247	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 12W-12-8-21	12	080S	210E	4304734248	12436	Federal	GW	TA		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WV 14W-15-8-21	15	080S	210E	4304734249	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 16W-10-8-21	10	080S	210E	4304734250	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 16W-15-8-21	15	080S	210E	4304734251	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 1W-11-8-21	11	080S	210E	4304734263		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 2W-11-8-21	11	080S	210E	4304734264		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 2W-12-8-21	12	080S	210E	4304734265	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 3W-11-8-21	11	080S	210E	4304734266		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 3W-12-8-21	12	080S	210E	4304734267		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 4W-12-8-21	12	080S	210E	4304734268		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 5W-11-8-21	11	080S	210E	4304734269		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 5W-12-8-21	12	080S	210E	4304734270	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 6W-14-8-21	14	080S	210E	4304734271	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 9W-11-8-21	11	080S	210E	4304734274		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 10W-14-8-21	14	080S	210E	4304734275	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 11W-11-8-21	11	080S	210E	4304734276		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 11W-14-8-21	14	080S	210E	4304734277	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 12W-11-8-21	11	080S	210E	4304734278		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 12W-14-8-21	14	080S	210E	4304734279	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 14W-11-8-21	11	080S	210E	4304734280		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 14W-14-8-21	14	080S	210E	4304734281	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 15W-11-8-21	11	080S	210E	4304734282		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 16W-14-8-21	14	080S	210E	4304734283	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 1W-16-8-21	16	080S	210E	4304734288		State	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 3W-15-8-21	15	080S	210E	4304734289		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 3W-16-8-21	16	080S	210E	4304734290		State	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 4W-15-8-21	15	080S	210E	4304734291		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 4W-16-8-21	16	080S	210E	4304734292		State	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 5W-15-8-21	15	080S	210E	4304734293		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 6W-15-8-21	15	080S	210E	4304734294	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 10W-15-8-21	15	080S	210E	4304734295	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WVU 5W-16-8-21	16	080S	210E	4304734321	12436	State	GW	DRL		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	04127294
WV 7W-16-8-21	16	080S	210E	4304734322	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field		county	type	lease #	bond #
WV 8W-16-8-21	16	080S	210E	4304734323		State	GW	APD		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 9W-16-8-21	16	080S	210E	4304734325	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 10W-16-8-21	16	080S	210E	4304734326	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 4W-24-8-21	24	080S	210E	4304734330	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0810	U-0969
WVU 2W-24-8-21	24	080S	210E	4304734337		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0810	UT-0969
WVU 6W-24-8-21	24	080S	210E	4304734338		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0810	UT-0969
WVU 8W-23-8-21	23	080S	210E	4304734339		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0809	UT-0969
WVU 8W-24-8-21	24	080S	210E	4304734340	12436	Federal	GW	P	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0810	UT-0969
WV 2G-7-8-22	07	080S	220E	4304734355		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 2W-7-8-22	07	080S	220E	4304734356		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 4G-8-8-22	08	080S	220E	4304734357		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 4WA-18-8-22	18	080S	220E	4304734358		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 4WD-18-8-22	18	080S	220E	4304734359		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 13WA-18-8-22	18	080S	220E	4304734361		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 13WD-18-8-22	18	080S	220E	4304734362		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 2WA-18-8-22	18	080S	220E	4304734426		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 2WD-18-8-22	18	080S	220E	4304734427		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 3WA-18-8-22	18	080S	220E	4304734428		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 3WD-18-8-22	18	080S	220E	4304734429		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 4W-8-8-22	08	080S	220E	4304734457		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 1W-8-8-22	08	080S	220E	4304734467		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 2W-8-8-22	08	080S	220E	4304734468	12436	Federal	GW	P	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 8W-7-8-22	07	080S	220E	4304734469	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 8W-22-8-21	22	080S	210E	4304734564	12436	Federal	GW	P	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969
WV 3G-8-8-22	08	080S	220E	4304734596	5265	Federal	OW	TA	C	WONSITS VALLEY	710	S	UINTAH	1	U-022158	U-0969
WONSITS VALLEY 1G-7-8-22	07	080S	220E	4304734597		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	U-022158	U-0969
WONSITS VALLEY 5G-8-8-22	08	080S	220E	4304734612		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WONSITS VALLEY 7G-8-8-22	08	080S	220E	4304734613		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-76508	U-0969
WV 11G-8-8-22	08	080S	220E	4304734614		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WV 13G-8-8-22	08	080S	220E	4304734615		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WV 15G-7-8-22	07	080S	220E	4304734626		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WV 11G-7-8-22	07	080S	220E	4304734627		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WONSITS VALLEY 7G-7-8-22	07	080S	220E	4304734628		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WONSITS VALLEY 9G-7-8-22	07	080S	220E	4304734629		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WV EXT 2W-17-8-21	17	080S	210E	4304734928	12436	Federal	GW	DRL	C	WONSITS VALLEY	610	S	UINTAH	1	UTU-68219	UT-1237

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ

2. CDW

Change of Operator (Well Sold)

X - Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

1/1/2007

FROM: (Old Operator):

N2460-QEP Uinta Basin, Inc.
 1050 17th St, Suite 500
 Denver, CO 80265

Phone: 1 (303) 672-6900

TO: (New Operator):

N5085-Questar E&P Company
 1050 17th St, Suite 500
 Denver, CO 80265

Phone: 1 (303) 672-6900

CA No.

Unit:

WONSITS VALLEY UNIT

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS				*				

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- a. Is the new operator registered in the State of Utah: Business Number: 764611-0143
- a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- b. Inspections of LA PA state/fee well sites complete on: n/a
- c. Reports current for Production/Disposition & Sundries on: n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: _____
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 799446
- a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033
- b. The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS: THIS IS A COMPANY NAME CHANGE.

SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVU 16	WV 16	NENE	15	080S	210E	4304715447	5265	Federal	WI	A
WVU 31	WV 31	NENW	14	080S	210E	4304715460	5265	Federal	WI	A
WVU 35	WV 35	NESW	14	080S	210E	4304715463	5265	Federal	WI	A
WV 36	WV 36	NESW	10	080S	210E	4304715464	5265	Federal	WI	A
WVU 41	WV 41	NENW	15	080S	210E	4304715469	5265	Federal	WI	A
WV 43	WV 43	SWSW	11	080S	210E	4304715471	5265	Federal	OW	P
WV 48	WV 48	SWNE	10	080S	210E	4304715476	5265	Federal	OW	P
WVU 50	WV 50	SWNE	15	080S	210E	4304715477	5265	Federal	WI	A
WV 53	WV 53	SWSE	10	080S	210E	4304720003	5265	Federal	OW	P
WVU 55	WV 55	SWNE	14	080S	210E	4304720005	5265	Federal	OW	P
WVU 59	WV 59	SWNW	14	080S	210E	4304720018	5265	Federal	WI	A
WVU 60	WV 60	SWSE	15	080S	210E	4304720019	5265	Federal	WI	A
WV 62	WV 62	SWSW	10	080S	210E	4304720024	5265	Federal	OW	P
WVU 65	WV 65	SWNW	15	080S	210E	4304720041	5265	Federal	OW	P
WVU 67	WV 67	NESW	15	080S	210E	4304720043	5265	Federal	WI	A
WVU 68	WV 68	NESE	15	080S	210E	4304720047	5265	Federal	WI	A
WVU 83	WV 83 WG	NENW	23	080S	210E	4304720205	14864	Federal	GW	S
WV 97	WV 97	NWSW	11	080S	210E	4304730014	5265	Federal	WI	A
WVU 103	WV 103	NWNW	14	080S	210E	4304730021	5265	Federal	OW	P
WVU 104	WV 104	NWNE	15	080S	210E	4304730022	5265	Federal	OW	P
WV 105	WV 105	SESE	10	080S	210E	4304730023	5265	Federal	OW	P
WVU 109	WV 109	SENE	15	080S	210E	4304730045	5265	Federal	OW	P
WVU 110	WV 110	SENW	14	080S	210E	4304730046	5265	Federal	OW	P
WVU 112	WV 112	SENW	15	080S	210E	4304730048	5265	Federal	OW	P
WVU 124	WV 124	NWSE	15	080S	210E	4304730745	5265	Federal	OW	P
WVU 126	WV 126	NWNE	21	080S	210E	4304730796	5265	Federal	WI	A
WV 128	WV 128	SESW	10	080S	210E	4304730798	5265	Federal	OW	P
WVU 132	WV 132	NWSW	15	080S	210E	4304730822	5265	Federal	OW	P
WVU 136	WV 136	NENW	21	080S	210E	4304731047	5265	Federal	OW	S
WV 137	WV 137	SENW	11	080S	210E	4304731523	5265	Federal	OW	P
WV 28-2	WV 28-2	NESW	11	080S	210E	4304731524	99990	Federal	WI	A
WVU 133	WV 133	SESW	15	080S	210E	4304731706	5265	Federal	OW	P
WVU 140	WV 140	NWNW	15	080S	210E	4304731707	5265	Federal	WI	A
WV 40-2	WV 40-2	NESE	10	080S	210E	4304731798	5265	Federal	WI	A
WVU 144	WV 144	SENE	10	080S	210E	4304731807	5265	Federal	OW	P
WV 143	WV 143	NWSE	10	080S	210E	4304731808	5265	Federal	WI	A
WVU 145	WV 145	NWNW	18	080S	220E	4304731820	14864	Federal	GW	P
WVU 121	WV 121	NWSW	14	080S	210E	4304731873	5265	Federal	OW	TA
WVU 135-2	WV 135-2	NENE	21	080S	210E	4304732016	5265	Federal	OW	P
WVU 130	WV 130	NWNW	22	080S	210E	4304732307	5265	Federal	OW	P
WVU 71-2	WV 71-2	SWSW	15	080S	210E	4304732449	5265	Federal	WI	A

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 119	WV 119	NWNW	21	080S	210E	4304732461	5265	Federal	OW	P
WVFU 120	WV 120	NENW	22	080S	210E	4304732462	5265	Federal	WI	A
WVFU 54 WG	WV 54 WG	SWSE	07	080S	220E	4304732821	14864	Federal	GW	P
WVFU 69 WG	WV 69 WG	SWNE	18	080S	220E	4304732829	14864	Federal	GW	P
WVFU 38 WG	WV 38 WG	SWNW	08	080S	220E	4304732831	14864	Federal	GW	P
WVFU 49 WG	WV 49 WG	SWSW	08	080S	220E	4304732832	14864	Federal	GW	P
WVFU 138 WG	WV 138 WG	SWNW	18	080S	220E	4304733054	14864	Federal	GW	P
WVFU 14 WG	WV 14 WG	SWSE	12	080S	210E	4304733070	14864	Federal	GW	P
WVFU 11 WG	WV 11 WG	SWNE	12	080S	210E	4304733085	14864	Federal	GW	P
WVFU 81 WG	WV 81 WG	SWNW	24	080S	210E	4304733086	14864	Federal	GW	P
WVFU 146 WG	WV 146 WG	NWNW	19	080S	220E	4304733128	14864	Federal	GW	P
WVFU 1W-14-8- 21	WV 1W-14-8- 21	NENE	14	080S	210E	4304733220	14864	Federal	GW	P
WVFU 5W-13- 8-21	WV 5W-13- 8-21	SWNW	13	080S	210E	4304733221	14864	Federal	GW	P
WVFU 46 WG	WVFU 46 WG	NESE	07	080S	220E	4304733241	14864	Federal	GW	P
WVFU 9W-14-8-21	WV 9W-14-8-21	NESE	14	080S	210E	4304733269	14864	Federal	GW	P
WVFU 7W-13-8-21	WV 7W-13-8-21	SWNE	13	080S	210E	4304733270	14864	Federal	GW	P
WVFU 1W-18-8-22	WV 1W-18-8-22	NENE	18	080S	220E	4304733294	14864	Federal	GW	P
WVFU 11W-8-8-22	WV 11W-8-8-22	NESW	08	080S	220E	4304733295	14864	Federal	GW	P
WVFU 3W-8-8-22	WV 3W-8-8-22	NENW	08	080S	220E	4304733493	14864	Federal	GW	S
WVFU 5W-7-8-22	WV 5W-7-8-22	SWNW	07	080S	220E	4304733494	14864	Federal	GW	P
WVFU 11W-7-8-22	WV 11W-7-8-22	NESW	07	080S	220E	4304733495	14864	Federal	GW	P
WVFU 13W-7-8-22	WV 13W-7-8-22	SWSW	07	080S	220E	4304733496	14864	Federal	GW	P
WVFU 1W-7-8-22	WV 1W-7-8-22	NENE	07	080S	220E	4304733501	14864	Federal	GW	P
WVFU 3W-7-8-22	WV 3W-7-8-22	NENW	07	080S	220E	4304733502	14864	Federal	GW	P
WV 7WRG-7-8-22	WV 7WRG-7-8-22	SWNE	07	080S	220E	4304733503	5265	Federal	OW	P
WVFU 16W-9-8-21	WV 16W-9-8-21	SESE	09	080S	210E	4304733529	14864	Federal	GW	P
WVFU 1W-12-8-21	WV 1W-12-8-21	NENE	12	080S	210E	4304733531	14864	Federal	GW	P
WVFU 1W-13-8-21	WV 1W-13-8-21	NENE	13	080S	210E	4304733532	14864	Federal	GW	P
WVFU 3W-18-8-22	WV 3W-18-8-22	NENW	18	080S	220E	4304733533	14864	Federal	GW	P
WVFU 9W-12-8-21	WV 9W-12-8-21	NESE	12	080S	210E	4304733534	14864	Federal	GW	P
WVFU 11W-12-8-21	WV 11W-12-8-21	NESW	12	080S	210E	4304733535	14864	Federal	GW	P
WVFU 11W-13-8-21	WV 11W-13-8-21	NESW	13	080S	210E	4304733536	14864	Federal	GW	P
WVFU 13W-12-8-21	WV 13W-12-8-21	SWSW	12	080S	210E	4304733537	14864	Federal	GW	S
WVFU 13W-18-8-22	WV 13W-18-8-22	SWSW	18	080S	220E	4304733538	14864	Federal	GW	P
WVFU 16G-9-8-21	WV 16G-9-8-21	SESE	09	080S	210E	4304733565	5265	Federal	OW	P
WVFU 1W-21-8-21	WV 1W-21-8-21	NENE	21	080S	210E	4304733602	14864	Federal	GW	P
WVFU 3W-13-8-21	WV 3W-13-8-21	NENW	13	080S	210E	4304733603	14864	Federal	GW	S
WVFU 3W-22-8-21	WV 3W-22-8-21	NENW	22	080S	210E	4304733604	14864	Federal	GW	P
WVFU 3W-24-8-21	WV 3W-24-8-21	NENW	24	080S	210E	4304733605	14864	Federal	GW	P
WVFU 13W-13-8-21	WV 13W-13-8-21	SWSW	13	080S	210E	4304733606	14864	Federal	GW	S
WVFU 13W-14-8-21	WV 13W-14-8-21	SWSW	14	080S	210E	4304733607	14864	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 15W-13-8-21	WV 15W-13-8-21	SWSE	13	080S	210E	4304733608	14864	Federal	GW	S
WVFU 1W-24-8-21	WV 1W-24-8-21	NENE	24	080S	210E	4304733613	14864	Federal	GW	P
WVFU 11W-18-8-22	WV 11W-18-8-22	NESW	18	080S	220E	4304733626	14864	Federal	GW	P
WV 2W-10-8-21	WV 2W-10-8-21	NWNE	10	080S	210E	4304733655	14864	Federal	GW	P
WV 4W-11-8-21	WV 4W-11-8-21	NWNW	11	080S	210E	4304733657	14864	Federal	GW	P
WV 12W-10-8-21	WV 12W-10-8-21	NWSW	10	080S	210E	4304733659	14864	Federal	GW	S
WV 12G-10-8-21	WV 12G-10-8-21	NWSW	10	080S	210E	4304733660	5265	Federal	OW	P
WVFU 15W-9-8-21	WV 15W-9-8-21	SWSE	09	080S	210E	4304733661	14864	Federal	GW	P
WVFU 15G-9-8-21	WV 15G-9-8-21	SWSE	09	080S	210E	4304733662	5265	Federal	OW	P
WVFU 2W-13-8-21	WV 2W-13-8-21	NWNE	13	080S	210E	4304733791	14864	Federal	GW	P
WVFU 6W-13-8-21	WV 6W-13-8-21	SENW	13	080S	210E	4304733792	14864	Federal	GW	P
WVFU 8W-13-8-21	WV 8W-13-8-21	SENE	13	080S	210E	4304733793	14864	Federal	GW	P
WV 10W-1-8-21	WV 10W-1-8-21	NWSE	01	080S	210E	4304733794	14864	Federal	GW	TA
WVFU 10W-13-8-21	WV 10W-13-8-21	NWSE	13	080S	210E	4304733795	14864	Federal	GW	P
WVFU 12W-7-8-22	WV 12W-7-8-22	NWSW	07	080S	220E	4304733808	14864	Federal	GW	P
WVFU 6W-8-8-22	WV 6W-8-8-22	SENW	08	080S	220E	4304733811	14864	Federal	GW	P
WVFU 7W-8-8-22	WV 7W-8-8-22	SWNE	08	080S	220E	4304733812	14864	Federal	GW	S
WVFU 10W-7-8-22	WV 10W-7-8-22	NWSE	07	080S	220E	4304733813	14864	Federal	GW	P
WVFU 12W-8-8-22	WV 12W-8-8-22	NWSW	08	080S	220E	4304733815	14864	Federal	GW	P
WVFU 14W-7-8-22	WV 14W-7-8-22	SESW	07	080S	220E	4304733816	14864	Federal	GW	P
WVFU 16W-7-8-22	WV 16W-7-8-22	SESE	07	080S	220E	4304733817	14864	Federal	GW	P
WVFU 6W-7-8-22	WV 6W-7-8-22	SENW	07	080S	220E	4304733828	14864	Federal	GW	P
WVFU 6W-18-8-22	WV 6W-18-8-22	SENW	18	080S	220E	4304733842	14864	Federal	GW	P
WVFU 6WC-18-8-22	WV 6WC-18-8-22	SENW	18	080S	220E	4304733843	14864	Federal	GW	P
WVFU 6WD-18-8-22	WV 6WD-18-8-22	SENW	18	080S	220E	4304733844	14864	Federal	GW	P
WVFU 5W-23-8-21	WV 5W-23-8-21	SWNW	23	080S	210E	4304733860	14864	Federal	GW	P
WVFU 7W-23-8-21	WV 7W-23-8-21	SWNE	23	080S	210E	4304733861	14864	Federal	GW	P
WVFU 8W-12-8-21	WV 8W-12-8-21	SENE	12	080S	210E	4304733862	14864	Federal	GW	P
WVFU 10W-12-8-21	WV 10W-12-8-21	NWSE	12	080S	210E	4304733863	14864	Federal	GW	P
WVFU 14W-12-8-21	WV 14W-12-8-21	SESW	12	080S	210E	4304733864	14864	Federal	GW	P
WVFU 16W-12-8-21	WV 16W-12-8-21	SESE	12	080S	210E	4304733865	14864	Federal	GW	P
WVFU 1W-15-8-21	WV 1W-15-8-21	NENE	15	080S	210E	4304733902	14864	Federal	GW	S
WVFU 1W-22-8-21	WV 1W-22-8-21	NENE	22	080S	210E	4304733903	14864	Federal	GW	P
WVFU 1W-23-8-21	WV 1W-23-8-21	NENE	23	080S	210E	4304733904	14864	Federal	GW	P
WV 6W-11-8-21	WV 6W-11-8-21	SENW	11	080S	210E	4304733906	14864	Federal	GW	P
WVFU 7W-24-8-21	WV 7W-24-8-21	SWNE	24	080S	210E	4304733908	14864	Federal	GW	P
WV 10W-11-8-21	WV 10W-11-8-21	NWSE	11	080S	210E	4304733910	14864	Federal	GW	P
WVFU 11W-15-8-21	WV 11W-15-8-21	NESW	15	080S	210E	4304733911	14864	Federal	GW	P
WV 13W-11-8-21	WV 13W-11-8-21	SWSW	11	080S	210E	4304733913	14864	Federal	GW	S
WVFU 13W-15-8-21	WV 13W-15-8-21	SWSW	15	080S	210E	4304733914	14864	Federal	GW	P
WV 15W-10-8-21	WV 15W-10-8-21	SWSE	10	080S	210E	4304733916	14864	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 15W-15-8-21	WV 15W-15-8-21	SWSE	15	080S	210E	4304733917	14864	Federal	GW	P
WVFU 5W-14-8-21	WV 5W-14-8-21	SWNW	14	080S	210E	4304733953	14864	Federal	GW	P
WVFU 7W-14-8-21	WV 7W-14-8-21	SWNE	14	080S	210E	4304733955	14864	Federal	GW	P
WV 8W-11-8-21	WV 8W-11-8-21	SENE	11	080S	210E	4304733957	14864	Federal	GW	S
WVFU 8W-14-8-21	WV 8W-14-8-21	SENE	14	080S	210E	4304733958	14864	Federal	GW	P
WVFU 9W-15-8-21	WV 9W-15-8-21	NESE	15	080S	210E	4304733959	14864	Federal	GW	P
WVFU 12W-13-8-21	WV 12W-13-8-21	NWSW	13	080S	210E	4304733961	14864	Federal	GW	P
WVFU 14W-13-8-21	WV 14W-13-8-21	SESW	13	080S	210E	4304733962	14864	Federal	GW	P
WVFU 15W-14-8-21	WV 15W-14-8-21	SWSE	14	080S	210E	4304733963	14864	Federal	GW	P
WVFU 2W-18-8-22	WV 2W-18-8-22	NWNE	18	080S	220E	4304733986	14864	Federal	GW	P
WV 8W-18-8-22	WV 8W-18-8-22	SENE	18	080S	220E	4304733989	14864	Federal	GW	P
WVFU 10W-18-8-22	WV 10W-18-8-22	NWSE	18	080S	220E	4304733991	14864	Federal	GW	P
WVFU 12W-18-8-22	WV 12W-18-8-22	NWSW	18	080S	220E	4304733993	14864	Federal	GW	P
WV 14W-18-8-22	WV 14W-18-8-22	SESW	18	080S	220E	4304733995	14864	Federal	GW	P
WVFU 8W-1-8-21	WV 8W-1-8-21	SENE	01	080S	210E	4304734009	14864	Federal	GW	DRL
WV 4W-17-8-22	WV 4W-17-8-22	NWNW	17	080S	220E	4304734038	14864	Federal	GW	P
WV 12G-1-8-21	WV 12G-1-8-21	NWSW	01	080S	210E	4304734108	5265	Federal	OW	TA
WV 2W-14-8-21	WV 2W-14-8-21	NWNE	14	080S	210E	4304734140	14864	Federal	GW	P
GH 2W-21-8-21	GH 2W-21-8-21	NWNE	21	080S	210E	4304734141	14864	Federal	GW	P
WV 2W-23-8-21	WV 2W-23-8-21	NWNE	23	080S	210E	4304734142	14864	Federal	GW	P
GH 3W-21-8-21	WV 3W-21-8-21	NENW	21	080S	210E	4304734143	14864	Federal	GW	P
WV 4W-13-8-21	WV 4W-13-8-21	NWNW	13	080S	210E	4304734144	14864	Federal	GW	P
GH 4W-21-8-21	WV 4W-21-8-21	NWNW	21	080S	210E	4304734145	14864	Federal	GW	P
WV 4W-22-8-21	WV 4W-22-8-21	NWNW	22	080S	210E	4304734146	14864	Federal	GW	P
WV 16W-11-8-21	WV 16W-11-8-21	SESE	11	080S	210E	4304734155	14864	Federal	GW	TA
WV 3W-19-8-22	WV 3W-19-8-22	NENW	19	080S	220E	4304734187	14864	Federal	GW	P
WV 4W-23-8-21	WV 4W-23-8-21	NWNW	23	080S	210E	4304734188	14864	Federal	GW	P
WV 6W-23-8-21	WV 6W-23-8-21	SENW	23	080S	210E	4304734189	14864	Federal	GW	P
WV 2W-15-8-21	WV 2W-15-8-21	NWNE	15	080S	210E	4304734242	14864	Federal	GW	P
WV 2W-22-8-21	WV 2W-22-8-21	NWNE	22	080S	210E	4304734243	14864	Federal	GW	P
WV 4W-14-8-21	WV 4W-14-8-21	NWNW	14	080S	210E	4304734244	14864	Federal	GW	P
WV 6W-12-8-21	WV 6W-12-8-21	SENW	12	080S	210E	4304734245	5265	Federal	GW	S
WV 7W-15-8-21	WV 7W-15-8-21	SWNE	15	080S	210E	4304734246	14864	Federal	GW	P
WV 8W-15-8-21	WV 8W-15-8-21	SENE	15	080S	210E	4304734247	14864	Federal	GW	P
WV 12W-12-8-21	WV 12W-12-8-21	NWSW	12	080S	210E	4304734248	14864	Federal	GW	S
WV 14W-15-8-21	WV 14W-15-8-21	SESW	15	080S	210E	4304734249	14864	Federal	GW	P
WV 16W-10-8-21	WV 16W-10-8-21	SESE	10	080S	210E	4304734250	14864	Federal	GW	P
WV 16W-15-8-21	WV 16W-15-8-21	SESE	15	080S	210E	4304734251	14864	Federal	GW	P
WV 2W-12-8-21	WV 2W-12-8-21	NWNE	12	080S	210E	4304734265	14864	Federal	GW	OPS
WV 3W-12-8-21	WV 3W-12-8-21	NENW	12	080S	210E	4304734267	14864	Federal	GW	OPS
WV 4W-12-8-21	WV 4D-12-8-21	NWNW	12	080S	210E	4304734268	12436	Federal	GW	DRL

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WV 5W-12-8-21	WV 5W-12-8-21	SWNW	12	080S	210E	4304734270	14864	Federal	GW	OPS
WV 6W-14-8-21	WV 6W-14-8-21	SENW	14	080S	210E	4304734271	14864	Federal	GW	P
WV 9W-11-8-21	WV 9W-11-8-21	NESE	11	080S	210E	4304734274	14864	Federal	GW	DRL
WV 10W-14-8-21	WV 10W-14-8-21	NWSE	14	080S	210E	4304734275	14864	Federal	GW	S
WV 11W-14-8-21	WV 11W-14-8-21	NESW	14	080S	210E	4304734277	14864	Federal	GW	P
WV 12W-14-8-21	WV 12W-14-8-21	NWSW	14	080S	210E	4304734279	14864	Federal	GW	S
WV 14M-11-8-21	WV 14M-11-8-21	SESW	11	080S	210E	4304734280	14864	Federal	GW	P
WV 14W-14-8-21	WV 14W-14-8-21	SESW	14	080S	210E	4304734281	14864	Federal	GW	P
WV 16W-14-8-21	WV 16G-14-8-21	SESE	14	080S	210E	4304734283	5265	Federal	OW	S
WV 3MU-15-8-21	WV 3MU-15-8-21	NENW	15	080S	210E	4304734289	14864	Federal	GW	P
WV 4MU-15-8-21	WV 4MU-15-8-21	NWNW	15	080S	210E	4304734291	14864	Federal	GW	P
WV 5MU-15-8-21	WV 5MU-15-8-21	SWNW	15	080S	210E	4304734293	14864	Federal	GW	P
WV 6W-15-8-21	WV 6W-15-8-21	SENW	15	080S	210E	4304734294	14864	Federal	GW	P
WV 10W-15-8-21	WV 10W-15-8-21	NWSE	15	080S	210E	4304734295	14864	Federal	GW	P
WVU 4W-24-8-21	WV 4W-24-8-21	NWNW	24	080S	210E	4304734330	14864	Federal	GW	P
WV 8M-23-8-21	WV 8M-23-8-21	SENE	23	080S	210E	4304734339	14864	Federal	GW	P
WVU 8W-24-8-21	WV 8W-24-8-21	SENE	24	080S	210E	4304734340	14864	Federal	GW	P
WV 2W-8-8-22	WV 2W-8-8-22	NWNE	08	080S	220E	4304734468	14864	Federal	GW	P
WV 8W-7-8-22	WV 8W-7-8-22	SENE	07	080S	220E	4304734469	14864	Federal	GW	S
WV 8W-22-8-21	WV 8W-22-8-21	SENE	22	080S	210E	4304734564	14864	Federal	GW	P
WV 3G-8-8-22	WV 3G-8-8-22	NENW	08	080S	220E	4304734596	5265	Federal	OW	TA
WV 14MU-10-8-21	WV 14MU-10-8-21	SESW	10	080S	210E	4304735879	14864	Federal	GW	P
WV 13MU-10-8-21	WV 13MU-10-8-21	SWSW	10	080S	210E	4304736305	14864	Federal	GW	P
WV 3DML-13-8-21	WV 3D-13-8-21	SENW	13	080S	210E	4304737923	14864	Federal	GW	DRL
WV 14DML-12-8-21	WV 14DML-12-8-21	SESW	12	080S	210E	4304737924	14864	Federal	GW	DRL
WV 15AML-12-8-21	WV 15AML-12-8-21	NWSE	12	080S	210E	4304737925		Federal	GW	APD
WV 13DML-10-8-21	WV 13DML-10-8-21	SWSW	10	080S	210E	4304737926	14864	Federal	GW	P
WV 4DML-15-8-21	WV 4DML-15-8-21	NWNW	15	080S	210E	4304737927	14864	Federal	GW	DRL
WV 13AD-8-8-22	WV 13AD-8-8-22	SWSW	08	080S	220E	4304737945		Federal	GW	APD
WV 11AML-14-8-21	WV 11AD-14-8-21	NWSE	14	080S	210E	4304738049	15899	Federal	GW	APD
WV 11DML-14-8-21	WV 11DML-14-8-21	SESW	14	080S	210E	4304738050		Federal	GW	APD
WV 4AML-19-8-22	WV 4AML-19-8-22	NWNW	19	080S	220E	4304738051		Federal	GW	APD
WV 13CML-8-8-22	WV 13CML-8-8-22	SWSW	08	080S	220E	4304738431		Federal	GW	APD
WV 13BML-18-8-22	WV 13BML-18-8-22	SWSW	18	080S	220E	4304738432		Federal	GW	APD
WV 8BML-18-8-22	WV 8BML-18-8-22	E/NE	18	080S	220E	4304738433		Federal	GW	APD
WV 6ML-24-8-21	WV 6-24-8-21	SENW	24	080S	210E	4304738663		Federal	GW	APD
WV 2ML-24-8-21	WV 2ML-24-8-21	NWNE	24	080S	210E	4304738664		Federal	GW	APD
WV 1DML-13-8-21	WV 1DML-13-8-21	NENE	13	080S	210E	4304738733		Federal	GW	APD
WV 4DML-13-8-21	WV 4DML-13-8-21	NWNW	13	080S	210E	4304738734		Federal	GW	APD
WV 3AML-14-8-21	WV 3AML-14-8-21	NENW	14	080S	210E	4304738736		Federal	GW	APD
WV 16CML-14-8-21	WV 16C-14-8-21	SESE	14	080S	210E	4304738737		Federal	GW	APD

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVU 21	WV 21	NENE	16	080S	210E	4304715452	99990	State	WI	A
WVU 32	WV 32	NENW	16	080S	210E	4304716513	5265	State	OW	P
WVU 72	WV 72	SWSW	16	080S	210E	4304720058	99990	State	WI	A
WVU 73	WV 73	NESE	16	080S	210E	4304720066	5265	State	WI	A
WVU 74	WV 74	SWSE	16	080S	210E	4304720078	5265	State	OW	P
WVU 75	WV 75	SWNE	16	080S	210E	4304720085	5265	State	OW	P
WVU 78	WV 78	NESW	16	080S	210E	4304720115	99990	State	WI	A
WVU 134	WV 134	SESE	16	080S	210E	4304731118	5265	State	OW	P
WVU 141	WV 141	NWSE	16	080S	210E	4304731609	5265	State	OW	P
WVU 127	WV 127	SENE	16	080S	210E	4304731611	5265	State	OW	P
WVU 142	WV 142	SESW	16	080S	210E	4304731612	5265	State	OW	P
WVUFU 9W-13-8-21	WV 9W-13-8-21	NESE	13	080S	210E	4304733223	14864	State	GW	S
WVUFU 2W-16-8-21	WV 2W-16-8-21	NWNE	16	080S	210E	4304733246	14864	State	GW	P
WVUFU 2G-16-8-21	WV 2G-16-8-21	NWNE	16	080S	210E	4304733247	5265	State	OW	P
WVUFU 6W-16-8-21	WV 6W-16-8-21	SENW	16	080S	210E	4304733527	14864	State	GW	P
WVUFU 6G-16-8-21	WV 6G-16-8-21	SENW	16	080S	210E	4304733564	5265	State	OW	P
WVUFU 16W-2-8-21	WV 16W-2-8-21	SESE	02	080S	210E	4304733645	5265	State	OW	S
WVUFU 9W-2-8-21	WV 9W-2-8-21	NESE	02	080S	210E	4304733648	14864	State	GW	P
WVUFU 12W-16-8-21	WV 12W-16-8-21	NWSW	16	080S	210E	4304733649	14864	State	GW	P
WVUFU 12G-16-8-21	WV 12G-16-8-21	NWSW	16	080S	210E	4304733650	5265	State	OW	P
WVUFU 16W-13-8-21	WV 16W-13-8-21	SESE	13	080S	210E	4304733796	14864	State	GW	P
WV 10G-2-8-21	WV 10G-2-8-21	NWSE	02	080S	210E	4304734035	5265	State	OW	P
WV 14G-2-8-21	WV 14G-2-8-21	SESW	02	080S	210E	4304734036	5265	State	OW	P
WV 13G-2-8-21	WV 13G-2-8-21	SWSW	02	080S	210E	4304734068	5265	State	OW	P
WV 5G-16-8-21	WV 5G-16-8-21	SWNW	16	080S	210E	4304734107	5265	State	OW	P
WV 11W-16-8-21	WV 11W-16-8-21	NESW	16	080S	210E	4304734190	14864	State	GW	P
WV 13W-16-8-21	WV 13W-16-8-21	SWSW	16	080S	210E	4304734191	14864	State	GW	P
WV 14W-16-8-21	WV 14W-16-8-21	SESW	16	080S	210E	4304734192	14864	State	GW	P
WV 15W-16-8-21	WV 15W-16-8-21	SWSE	16	080S	210E	4304734224	14864	State	GW	P
WV 16W-16-8-21	WV 16W-16-8-21	SESE	16	080S	210E	4304734225	14864	State	GW	P
WV 1MU-16-8-21	WV 1MU-16-8-21	NENE	16	080S	210E	4304734288	14864	State	GW	P
WV 3W-16-8-21	WV 3W-16-8-21	NENW	16	080S	210E	4304734290		State	GW	LA
WV 4W-16-8-21	WV 4W-16-8-21	NWNW	16	080S	210E	4304734292	12436	State	D	PA
WVU 5W-16-8-21	WV 5W-16-8-21	SWNW	16	080S	210E	4304734321	14864	State	GW	P
WV 7W-16-8-21	WV 7W-16-8-21	SWNE	16	080S	210E	4304734322	14864	State	GW	P
WV 8ML-16-8-21	WV 8ML-16-8-21	SENE	16	080S	210E	4304734323	14864	State	GW	P
WV 9W-16-8-21	WV 9W-16-8-21	NESE	16	080S	210E	4304734325	14864	State	GW	P
WV 10W-16-8-21	WV 10W-16-8-21	NWSE	16	080S	210E	4304734326	14864	State	GW	P
WV 12BML-16-8-21	WV 12BML-16-8-21	SWNW	16	080S	210E	4304737824	14864	State	GW	P
WV 12DML-16-8-21	WV 12D-16-8-21	NWSW	16	080S	210E	4304737870		State	GW	APD
WV 15CML-16-8-21	WV 15CML-16-8-21	SESW	16	080S	210E	4304737871	14864	State	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WV 15DML-16-8-21	WV 15DML-16-8-21	SWSE	16	080S	210E	4304737872		State	GW	APD
WV 16DML-13-8-21	WV 16DML-13-8-21	SESE	13	080S	210E	4304738735		State	GW	APD

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER _____

2. NAME OF OPERATOR:
QUESTAR EXPLORATION AND PRODUCTION COMPANY

3. ADDRESS OF OPERATOR:
1050 17th Street Suite 500 CITY Denver STATE CO ZIP 80265 PHONE NUMBER: (303) 308-3068

4. LOCATION OF WELL

FOOTAGES AT SURFACE: attached

COUNTY: Uintah

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033

Fee Land Bond Number: 965003033

Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.

Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list

Jay B. Neese, Executive Vice President

Questar Exploration and Production Company

NAME (PLEASE PRINT) Debra K. Stanberry

TITLE Supervisor, Regulatory Affairs

SIGNATURE [Signature]

DATE 3/16/2007

(This space for State use only)

RECEIVED

APR 19 2007

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1 TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER _____

2. NAME OF OPERATOR:
QUESTAR EXPLORATION AND PRODUCTION COMPANY

3. ADDRESS OF OPERATOR:
1050 17th Street Suite 500 Denver STATE CO ZIP 80265 PHONE NUMBER: (303) 308-3068

4. LOCATION OF WELL

FOOTAGES AT SURFACE: attached

COUNTY: Uintah

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 1/1/2007	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: Well Name Changes
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) Debra K. Stanberry

TITLE Supervisor, Regulatory Affairs

SIGNATURE

DATE 4/17/2007

(This space for State use only)

RECEIVED

APR 19 2007

DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

April 23, 2007

Questar Exploration and Production Company
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Wonsits Valley Unit
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Wonsits Valley Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
File - Wonsits Valley Unit (w/enclosure)
Agr. Sec. Chron
Reading File
Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED

APR 30 2007

DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
 CDW

Change of Operator (Well Sold)

X - Operator Name Change

The operator of the well(s) listed below has changed, effective:

6/14/2010

FROM: (Old Operator): N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048	TO: (New Operator): N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048
--	--

CA No.

Unit:

WONSITS VALLEY

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/28/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/28/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/24/2010
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: Requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/16/2010 BIA not yet
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 8/16/2010
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/29/2010

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 6/30/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/30/2010
- Bond information entered in RBDMS on: 6/30/2010
- Fee/State wells attached to bond in RBDMS on: 6/30/2010
- Injection Projects to new operator in RBDMS on: 6/30/2010
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 965010693
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965010695
- The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:
See attached

SUNDRY NOTICES AND REPORTS ON WELLS

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
See attached

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

7. UNIT or CA AGREEMENT NAME:
See attached

1. TYPE OF WELL

OIL WELL ☐ GAS WELL ☐ OTHER _____

8. WELL NAME and NUMBER:
See attached

2. NAME OF OPERATOR:

Questar Exploration and Production Company *N5085*

9. API NUMBER:
Attached

3. ADDRESS OF OPERATOR:

1050 17th Street, Suite 500 Denver

STATE CO ZIP 80265

PHONE NUMBER:
(303) 672-6900

10. FIELD AND POOL, OR WILDCAT:
See attached

4. LOCATION OF WELL

FOOTAGES AT SURFACE: See attached

COUNTY: Attached

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

11 CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/14/2010</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: ~~965003033~~

Fee Land Bond Number: ~~965003033~~ *965010695*

BIA Bond Number: ~~799446~~ *965010693*

The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list

NAME (PLEASE PRINT) Morgan Anderson

TITLE Regulatory Affairs Analyst

SIGNATURE *Morgan Anderson*

DATE 6/23/2010

(This space for State use only)

RECEIVED

JUN 28 2010

DIV. OF OIL, GAS & MINING

(See Instructions on Reverse Side)

APPROVED *6/30/2009*
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
WONSITS VALLEY
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 43	11	080S	210E	4304715471	5265	Federal	OW	P	
WV 48	10	080S	210E	4304715476	5265	Federal	OW	P	
WV 53	10	080S	210E	4304720003	5265	Federal	OW	P	
WV 55	14	080S	210E	4304720005	5265	Federal	OW	P	
WV 62	10	080S	210E	4304720024	5265	Federal	OW	P	
WV 65	15	080S	210E	4304720041	5265	Federal	OW	P	
WV 83 WG	23	080S	210E	4304720205	17123	Federal	GW	P	
WV 103	14	080S	210E	4304730021	5265	Federal	OW	P	
WV 104	15	080S	210E	4304730022	5265	Federal	OW	P	
WV 105	10	080S	210E	4304730023	5265	Federal	OW	P	
WV 109	15	080S	210E	4304730045	5265	Federal	OW	P	
WV 110	14	080S	210E	4304730046	5265	Federal	OW	P	
WV 112	15	080S	210E	4304730048	5265	Federal	OW	P	
WV 124	15	080S	210E	4304730745	5265	Federal	OW	P	
WV 128	10	080S	210E	4304730798	5265	Federal	OW	P	
WV 132	15	080S	210E	4304730822	5265	Federal	OW	P	
WV 136	21	080S	210E	4304731047	5265	Federal	OW	S	
WV 137	11	080S	210E	4304731523	5265	Federal	OW	P	
WV 133	15	080S	210E	4304731706	5265	Federal	OW	P	
WV 144	10	080S	210E	4304731807	5265	Federal	OW	P	
WV 145	18	080S	220E	4304731820	17123	Federal	GW	P	
WV 121	14	080S	210E	4304731873	5265	Federal	OW	TA	
WV 135-2	21	080S	210E	4304732016	5265	Federal	OW	P	
WV 130	22	080S	210E	4304732307	5265	Federal	OW	P	
WV 119	21	080S	210E	4304732461	5265	Federal	OW	P	
WV 54 WG	07	080S	220E	4304732821	17123	Federal	GW	P	
WV 69 WG	18	080S	220E	4304732829	17123	Federal	GW	P	
WV 38 WG	08	080S	220E	4304732831	17123	Federal	GW	P	
WV 49 WG	08	080S	220E	4304732832	17123	Federal	GW	P	
WV 138 WG	18	080S	220E	4304733054	17123	Federal	GW	P	
WV 14 WG	12	080S	210E	4304733070	17123	Federal	GW	P	
WV 11 WG	12	080S	210E	4304733085	17123	Federal	GW	P	
WV 81 WG	24	080S	210E	4304733086	17123	Federal	GW	S	
WV 146 WG	19	080S	220E	4304733128	17123	Federal	GW	P	
WV 1W-14-8-21	14	080S	210E	4304733220	17123	Federal	GW	P	
WV 5W-13-8-21	13	080S	210E	4304733221	17123	Federal	GW	P	
WV 46 WG	07	080S	220E	4304733241	17123	Federal	GW	P	
WV 9W-14-8-21	14	080S	210E	4304733269	17123	Federal	GW	P	
WV 7W-13-8-21	13	080S	210E	4304733270	17123	Federal	GW	P	
WV 1W-18-8-22	18	080S	220E	4304733294	17123	Federal	GW	P	
WV 11W-8-8-22	08	080S	220E	4304733295	17123	Federal	GW	P	
WV 3W-8-8-22	08	080S	220E	4304733493	17123	Federal	GW	S	
WV 5W-7-8-22	07	080S	220E	4304733494	17123	Federal	GW	S	
WV 11W-7-8-22	07	080S	220E	4304733495	17123	Federal	GW	P	
WV 13W-7-8-22	07	080S	220E	4304733496	17123	Federal	GW	P	
WV 1W-7-8-22	07	080S	220E	4304733501	17123	Federal	GW	P	
WV 3W-7-8-22	07	080S	220E	4304733502	17123	Federal	GW	P	
WV 7WRG-7-8-22	07	080S	220E	4304733503	5265	Federal	OW	P	
WV 16W-9-8-21	09	080S	210E	4304733529	17123	Federal	GW	P	

Bonds: BLM = ESB000024

BIA = 965010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
WONSITS VALLEY
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 1W-12-8-21	12	080S	210E	4304733531	17123	Federal	GW	S	
WV 1W-13-8-21	13	080S	210E	4304733532	17123	Federal	GW	S	
WV 3W-18-8-22	18	080S	220E	4304733533	17123	Federal	GW	P	
WV 9W-12-8-21	12	080S	210E	4304733534	17123	Federal	GW	P	
WV 11W-12-8-21	12	080S	210E	4304733535	17123	Federal	GW	P	
WV 11W-13-8-21	13	080S	210E	4304733536	17123	Federal	GW	P	
WV 13W-12-8-21	12	080S	210E	4304733537	17123	Federal	GW	S	
WV 13W-18-8-22	18	080S	220E	4304733538	17123	Federal	GW	P	
WV 16G-9-8-21	09	080S	210E	4304733565	5265	Federal	OW	P	
WV 1W-21-8-21	21	080S	210E	4304733602	17123	Federal	GW	P	
WV 3W-13-8-21	13	080S	210E	4304733603	17123	Federal	GW	S	
WV 3W-22-8-21	22	080S	210E	4304733604	17123	Federal	GW	P	
WV 3W-24-8-21	24	080S	210E	4304733605	17123	Federal	GW	P	
WV 13W-14-8-21	14	080S	210E	4304733607	17123	Federal	GW	P	
WV 1W-24-8-21	24	080S	210E	4304733613	17123	Federal	GW	P	
WV 11W-18-8-22	18	080S	220E	4304733626	17123	Federal	GW	P	
WV 2W-10-8-21	10	080S	210E	4304733655	17123	Federal	GW	P	
WV 4W-11-8-21	11	080S	210E	4304733657	17123	Federal	GW	P	
WV 12W-10-8-21	10	080S	210E	4304733659	17123	Federal	GW	S	
WV 12G-10-8-21	10	080S	210E	4304733660	5265	Federal	OW	P	
WV 15W-9-8-21	09	080S	210E	4304733661	17123	Federal	GW	P	
WV 15G-9-8-21	09	080S	210E	4304733662	5265	Federal	OW	P	
WV 2W-13-8-21	13	080S	210E	4304733791	17123	Federal	GW	P	
WV 6W-13-8-21	13	080S	210E	4304733792	17123	Federal	GW	P	
WV 8W-13-8-21	13	080S	210E	4304733793	17123	Federal	GW	P	
WV 10W-1-8-21	01	080S	210E	4304733794	17123	Federal	GW	TA	
WV 10W-13-8-21	13	080S	210E	4304733795	17123	Federal	GW	P	
WV 12W-7-8-22	07	080S	220E	4304733808	17123	Federal	GW	P	
WV 6W-8-8-22	08	080S	220E	4304733811	17123	Federal	GW	P	
WV 7W-8-8-22	08	080S	220E	4304733812	17123	Federal	GW	P	
WV 10W-7-8-22	07	080S	220E	4304733813	17123	Federal	GW	P	
WV 12W-8-8-22	08	080S	220E	4304733815	17123	Federal	GW	P	
WV 14W-7-8-22	07	080S	220E	4304733816	17123	Federal	GW	P	
WV 16W-7-8-22	07	080S	220E	4304733817	17123	Federal	GW	P	
WV 6W-7-8-22	07	080S	220E	4304733828	17123	Federal	GW	P	
WV 6W-18-8-22	18	080S	220E	4304733842	17123	Federal	GW	P	
WV 6WC-18-8-22	18	080S	220E	4304733843	17123	Federal	GW	P	
WV 6WD-18-8-22	18	080S	220E	4304733844	17123	Federal	GW	P	
WV 5W-23-8-21	23	080S	210E	4304733860	17123	Federal	GW	P	
WV 7W-23-8-21	23	080S	210E	4304733861	17123	Federal	GW	P	
WV 8W-12-8-21	12	080S	210E	4304733862	17123	Federal	GW	P	
WV 10W-12-8-21	12	080S	210E	4304733863	17123	Federal	GW	P	
WV 14W-12-8-21	12	080S	210E	4304733864	17123	Federal	GW	P	
WV 16W-12-8-21	12	080S	210E	4304733865	17123	Federal	GW	P	
WV 1W-15-8-21	15	080S	210E	4304733902	17123	Federal	GW	S	
WV 1W-22-8-21	22	080S	210E	4304733903	17123	Federal	GW	S	
WV 1W-23-8-21	23	080S	210E	4304733904	17123	Federal	GW	P	
WV 6W-11-8-21	11	080S	210E	4304733906	17123	Federal	GW	P	
WV 7W-24-8-21	24	080S	210E	4304733908	17123	Federal	GW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
WONSITS VALLEY
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 10W-11-8-21	11	080S	210E	4304733910	17123	Federal	GW	P	
WV 11W-15-8-21	15	080S	210E	4304733911	17123	Federal	GW	P	
WV 13W-11-8-21	11	080S	210E	4304733913	17123	Federal	GW	S	
WV 13W-15-8-21	15	080S	210E	4304733914	17123	Federal	GW	P	
WV 15W-10-8-21	10	080S	210E	4304733916	17123	Federal	GW	P	
WV 15W-15-8-21	15	080S	210E	4304733917	17123	Federal	GW	P	
WV 5W-14-8-21	14	080S	210E	4304733953	17123	Federal	GW	P	
WV 7W-14-8-21	14	080S	210E	4304733955	17123	Federal	GW	P	
WV 8W-11-8-21	11	080S	210E	4304733957	17123	Federal	GW	S	
WV 8W-14-8-21	14	080S	210E	4304733958	17123	Federal	GW	P	
WV 9W-15-8-21	15	080S	210E	4304733959	17123	Federal	GW	P	
WV 12W-13-8-21	13	080S	210E	4304733961	17123	Federal	GW	P	
WV 14W-13-8-21	13	080S	210E	4304733962	17123	Federal	GW	P	
WV 15W-14-8-21	14	080S	210E	4304733963	17123	Federal	GW	P	
WV 2W-18-8-22	18	080S	220E	4304733986	17123	Federal	GW	P	
WV 8W-18-8-22	18	080S	220E	4304733989	17123	Federal	GW	P	
WV 10W-18-8-22	18	080S	220E	4304733991	17123	Federal	GW	P	
WV 12W-18-8-22	18	080S	220E	4304733993	17123	Federal	GW	S	
WV 14W-18-8-22	18	080S	220E	4304733995	17123	Federal	GW	P	
WV 8W-1-8-21	01	080S	210E	4304734009	17123	Federal	GW	OPS	C
WV 4W-17-8-22	17	080S	220E	4304734038	17123	Federal	GW	P	
WV 12G-1-8-21	01	080S	210E	4304734108	5265	Federal	OW	TA	
WV 2W-14-8-21	14	080S	210E	4304734140	17123	Federal	GW	P	
GH 2W-21-8-21	21	080S	210E	4304734141	17123	Federal	GW	P	
WV 2W-23-8-21	23	080S	210E	4304734142	17123	Federal	GW	P	
WV 3W-21-8-21	21	080S	210E	4304734143	17123	Federal	GW	P	
WV 4W-13-8-21	13	080S	210E	4304734144	17123	Federal	GW	P	
WV 4W-21-8-21	21	080S	210E	4304734145	17123	Federal	GW	P	
WV 4W-22-8-21	22	080S	210E	4304734146	17123	Federal	GW	P	
WV 16W-11-8-21	11	080S	210E	4304734155	5265	Federal	GW	P	
WV 3W-19-8-22	19	080S	220E	4304734187	17123	Federal	GW	P	
WV 4W-23-8-21	23	080S	210E	4304734188	17123	Federal	GW	P	
WV 6W-23-8-21	23	080S	210E	4304734189	17123	Federal	GW	S	
WV 2W-15-8-21	15	080S	210E	4304734242	17123	Federal	GW	P	
WV 2W-22-8-21	22	080S	210E	4304734243	17123	Federal	GW	P	
WV 4W-14-8-21	14	080S	210E	4304734244	17123	Federal	GW	S	
WV 6W-12-8-21	12	080S	210E	4304734245	5265	Federal	GW	TA	
WV 7W-15-8-21	15	080S	210E	4304734246	17123	Federal	GW	P	
WV 8W-15-8-21	15	080S	210E	4304734247	17123	Federal	GW	P	
WV 12W-12-8-21	12	080S	210E	4304734248	17123	Federal	GW	TA	
WV 14W-15-8-21	15	080S	210E	4304734249	17123	Federal	GW	P	
WV 16W-10-8-21	10	080S	210E	4304734250	17123	Federal	GW	P	
WV 16W-15-8-21	15	080S	210E	4304734251	17123	Federal	GW	P	
WV 3W-12-8-21	12	080S	210E	4304734267	17123	Federal	GW	OPS	C
WV 4D-12-8-21	12	080S	210E	4304734268	17123	Federal	GW	OPS	C
WV 6W-14-8-21	14	080S	210E	4304734271	17123	Federal	GW	S	
WV 9W-11-8-21	11	080S	210E	4304734274	17123	Federal	GW	OPS	C
WV 10W-14-8-21	14	080S	210E	4304734275	17123	Federal	GW	P	
WV 11W-14-8-21	14	080S	210E	4304734277	17123	Federal	GW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
WONSITS VALLEY
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 12W-14-8-21	14	080S	210E	4304734279	17123	Federal	GW	TA	
WV 14M-11-8-21	11	080S	210E	4304734280	17123	Federal	GW	P	
WV 14W-14-8-21	14	080S	210E	4304734281	17123	Federal	GW	S	
WV 16G-14-8-21	14	080S	210E	4304734283	5265	Federal	OW	P	
WV 3MU-15-8-21	15	080S	210E	4304734289	17123	Federal	GW	P	
WV 4MU-15-8-21	15	080S	210E	4304734291	17123	Federal	GW	P	
WV 5MU-15-8-21	15	080S	210E	4304734293	17123	Federal	GW	P	
WV 6W-15-8-21	15	080S	210E	4304734294	17123	Federal	GW	P	
WV 10W-15-8-21	15	080S	210E	4304734295	17123	Federal	GW	P	
WV 4W-24-8-21	24	080S	210E	4304734330	17123	Federal	GW	P	
WV 8M-23-8-21	23	080S	210E	4304734339	17123	Federal	GW	P	
WV 8W-24-8-21	24	080S	210E	4304734340	17123	Federal	GW	P	
WV 2W-8-8-22	08	080S	220E	4304734468	17123	Federal	GW	P	
WV 8W-7-8-22	07	080S	220E	4304734469	17123	Federal	GW	S	
WV 8W-22-8-21	22	080S	210E	4304734564	17123	Federal	GW	P	
WV 14MU-10-8-21	10	080S	210E	4304735879	17123	Federal	GW	P	
WV 13MU-10-8-21	10	080S	210E	4304736305	17123	Federal	GW	P	
WV 3D-13-8-21	13	080S	210E	4304737923	17123	Federal	GW	OPS	C
WV 14DML-12-8-21	12	080S	210E	4304737924	17123	Federal	GW	P	
WV 15AML-12-8-21	12	080S	210E	4304737925	17123	Federal	GW	OPS	C
WV 13DML-10-8-21	10	080S	210E	4304737926	17123	Federal	GW	P	
WV 4DML-15-8-21	15	080S	210E	4304737927	17123	Federal	GW	P	
WV 11AD-14-8-21	14	080S	210E	4304738049	17123	Federal	GW	P	
WV 6-24-8-21	24	080S	210E	4304738663	17123	Federal	GW	P	
WV 2ML-24-8-21	24	080S	210E	4304738664		Federal	GW	APD	C
WV 16C-14-8-21	14	080S	210E	4304738737	17123	Federal	GW	P	
WV 7BML-24-8-21	24	080S	210E	4304738970		Federal	GW	APD	C
WV 7AML-12-8-21	12	080S	210E	4304739035		Federal	GW	APD	C
WV 14BML-12-8-21	12	080S	210E	4304739036		Federal	GW	APD	C
WV 14B-13-8-21	13	080S	210E	4304739037		Federal	GW	APD	C
WV 4B-14-8-21	14	080S	210E	4304739038		Federal	GW	APD	C
WV 13A-15-8-21	15	080S	210E	4304739039	17123	Federal	GW	P	
WV 8D-15-8-21	15	080S	210E	4304739040	17123	Federal	GW	P	
WV 4BD-23-8-21	23	080S	210E	4304739041	17123	Federal	GW	P	
WV 7CML-11-8-21	11	080S	210E	4304739042		Federal	GW	APD	C
WV 7BD-23-8-21	23	080S	210E	4304739044	17123	Federal	GW	P	
WV 2CML-7-8-22	07	080S	220E	4304739155		Federal	GW	APD	C
WV 13AD-8-8-22R(RIGSKID)	08	080S	220E	4304739321	17123	Federal	GW	P	
WV 2B-22-8-21	22	080S	210E	4304740262		Federal	GW	APD	C
WV 8D-22-8-21	22	080S	210E	4304740263		Federal	GW	APD	C
WV 7A-24-8-21	24	080S	210E	4304740331		Federal	GW	APD	C



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office

P.O. Box 45155

Salt Lake City, UT 84145-0155

<http://www.blm.gov/ut/st/en.html>



IN REPLY REFER TO:
3100
(UT-922)

JUL 28 2010

Memorandum

To: Vernal Field Office, Price Field Office, Moab Field Office

From: Chief, Branch of Minerals

Roya L. Bankert

Subject: Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the ~~Eastern States~~ Office. We have updated our records to reflect the name change in the attached list of leases.


The name change from **Questar Exploration and Production Company** into **QEP Energy Company** is effective June 8, 2010.

cc: MMS
UDOGM

RECEIVED

AUG 16 2010

DIV. OF OIL, GAS & MIN. (DGM)

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9			
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-0806			
1. TYPE OF WELL Oil Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
2. NAME OF OPERATOR: QEP ENERGY COMPANY		7. UNIT or CA AGREEMENT NAME: WONSITS VALLEY			
3. ADDRESS OF OPERATOR: 11002 East 17500 South, Vernal, Ut, 84078		8. WELL NAME and NUMBER: WV 62			
PHONE NUMBER: 303 308-3068 Ext		9. API NUMBER: 43047200240000			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0660 FSL 0660 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWSW Section: 10 Township: 08.0S Range: 21.0E Meridian: S		9. FIELD and POOL or WILDCAT: WONSITS VALLEY			
		COUNTY: UINTAH			
		STATE: UTAH			
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA					
TYPE OF SUBMISSION <input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 1/24/2011 <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	TYPE OF ACTION <table style="width: 100%; border: none;"> <tr> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input checked="" type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION </td> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER </td> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: </td> </tr> </table>		<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input checked="" type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER:
<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input checked="" type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: 			
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. QEP Energy Company proposes to add additional Green River perms on the above mentioned well from 5,234' to 5,240' and acidizing the new perms with 500 gallons 15% HCL.					
		Accepted by the Utah Division of Oil, Gas and Mining Date: 01/24/2011 By: 			
NAME (PLEASE PRINT) Jan Nelson		PHONE NUMBER 435 781-4331			
SIGNATURE N/A		TITLE Permit Agent			
		DATE 1/17/2011			

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-0806
1. TYPE OF WELL Oil Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
2. NAME OF OPERATOR: QEP ENERGY COMPANY		7. UNIT or CA AGREEMENT NAME: WONSITS VALLEY
3. ADDRESS OF OPERATOR: 11002 East 17500 South , Vernal, Ut, 84078		8. WELL NAME and NUMBER: WV 62
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0660 FSL 0660 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWSW Section: 10 Township: 08.0S Range: 21.0E Meridian: S		9. API NUMBER: 43047200240000
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		9. FIELD and POOL or WILDCAT: WONSITS VALLEY
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input checked="" type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 5/3/2011	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER: <input style="width: 100px;" type="text"/>	
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION	
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER: <input style="width: 100px;" type="text"/>	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. THIS SUNDRY IS BEING SUBMITTED TO CONFIRMING WORK WAS COMPLETED AS OUTLINED IN THE NOTICE OF INTENT. DETAILS WILL FOLLOW IN FORM 8- WELL COMPLETION REPORT. THIS SUNDRY IS FOR UNAPPROVED PURPOSE ONLY.		
Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY		
NAME (PLEASE PRINT) Valyn Davis		PHONE NUMBER 435 781-4369
SIGNATURE N/A		TITLE Regulatory Affairs Analyst
DATE 5/3/2011		

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

AMENDED REPORT ☒
(highlight changes)

FORM 8

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. TYPE OF WELL: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-0806	
b. TYPE OF WORK: NEW WELL <input type="checkbox"/> HORIZ. LATS. <input type="checkbox"/> DEEP-EN <input type="checkbox"/> RE-ENTRY <input checked="" type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> OTHER _____		6. IF INDIAN, ALLOTTEE OR TRIBE NAME Wonsits Valley	
2. NAME OF OPERATOR: QEP Energy Company		7. UNIT or CA AGREEMENT NAME WV 62	
3. ADDRESS OF OPERATOR: 1050 17th St. Ste. 500 CITY Denver STATE CO ZIP 80265		8. WELL NAME and NUMBER: WV 62	
4. LOCATION OF WELL (FOOTAGES) AT SURFACE: 660 FSL, 660 FWL AT TOP PRODUCING INTERVAL REPORTED BELOW: Same AT TOTAL DEPTH: Same		9. API NUMBER: 4304720024	
10. FIELD AND POOL, OR WILDCAT Wonsits Valley		11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SWSW 10 8S 21E	
12. COUNTY Uintah		13. STATE UTAH	
14. DATE SPUDDED: 6/4/1966	15. DATE T.D. REACHED: 6/15/1966	16. DATE COMPLETED: <u>5-3-2011</u> 7/16/1966 4-22-2011 ABANDONED <input type="checkbox"/> READY TO PRODUCE <input checked="" type="checkbox"/>	17. ELEVATIONS (DF, RKB, RT, GL): 4833' - GL
18. TOTAL DEPTH: MD 5,500 TVD 5,500	19. PLUG BACK T.D.: MD 5,467 TVD 5,467	20. IF MULTIPLE COMPLETIONS, HOW MANY? *	21. DEPTH BRIDGE MD PLUG SET: TVD
22. TYPE ELECTRIC AND OTHER MECHANICAL LOGS RUN (Submit copy of each)		23. WAS WELL CORED? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit analysis) WAS DST RUN? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit report) DIRECTIONAL SURVEY? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit copy)	

24. CASING AND LINER RECORD (Report all strings set in well)

HOLE SIZE	SIZE/GRADE	WEIGHT (#/ft.)	TOP (MD)	BOTTOM (MD)	STAGE CEMENTER DEPTH	CEMENT TYPE & NO. OF SACKS	SLURRY VOLUME (BBL)	CEMENT TOP **	AMOUNT PULLED

25. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)

26. PRODUCING INTERVALS

FORMATION NAME	TOP (MD)	BOTTOM (MD)	TOP (TVD)	BOTTOM (TVD)	INTERVAL (Top/Bot - MD)	SIZE	NO. HOLES	PERFORATION STATUS
(A) Green River	5,234	5,240			5,234 5,240		24	Open <input checked="" type="checkbox"/> Squeezed <input type="checkbox"/>
(B)								Open <input type="checkbox"/> Squeezed <input type="checkbox"/>
(C)								Open <input type="checkbox"/> Squeezed <input type="checkbox"/>
(D)								Open <input type="checkbox"/> Squeezed <input type="checkbox"/>

27. PERFORATION RECORD

28. ACID, FRACTURE, TREATMENT, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND TYPE OF MATERIAL
5,234 - 5,240	750 gal 15% HCl, 48 bbl KCl

29. ENCLOSED ATTACHMENTS:

- ☐ ELECTRICAL/MECHANICAL LOGS ☐ GEOLOGIC REPORT ☐ DST REPORT ☐ DIRECTIONAL SURVEY
☐ SUNDRY NOTICE FOR PLUGGING AND CEMENT VERIFICATION ☐ CORE ANALYSIS ☒ OTHER: Operations Summ

30. WELL STATUS:

Producing

RECEIVED

AUG 09 2011

DIV. OF OIL, GAS & MINING

31. INITIAL PRODUCTION**INTERVAL A (As shown in item #26)**

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	INTERVAL STATUS:

INTERVAL B (As shown in item #26)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	INTERVAL STATUS:

INTERVAL C (As shown in item #26)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	INTERVAL STATUS:

INTERVAL D (As shown in item #26)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	INTERVAL STATUS:

32. DISPOSITION OF GAS (Sold, Used for Fuel, Vented, Etc.)**33. SUMMARY OF POROUS ZONES (Include Aquifers):**

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

34. FORMATION (Log) MARKERS:

Formation	Top (MD)	Bottom (MD)	Descriptions, Contents, etc.	Name	Top (Measured Depth)
				Green River - E5	5,234

35. ADDITIONAL REMARKS (Include plugging procedure)

Added additional perforations to the Green River formation, well was originally completed in 1966.

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

NAME (PLEASE PRINT) Morgan Anderson

TITLE Regulatory Affairs Analyst

SIGNATURE

Morgan Anderson

DATE

8/3/2011

This report must be submitted within 30 days of

- completing or plugging a new well
- drilling horizontal laterals from an existing well bore
- recompleting to a different producing formation
- reentering a previously plugged and abandoned well
- significantly deepening an existing well bore below the previous bottom-hole depth
- drilling hydrocarbon exploratory holes, such as core samples and stratigraphic tests

* ITEM 20: Show the number of completions if production is measured separately from two or more formations.

** ITEM 24: Cement Top – Show how reported top(s) of cement were determined (circulated (CIR), calculated (CAL), cement bond log (CBL), temperature survey (TS)).

Send to: Utah Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
Box 145801
Salt Lake City, Utah 84114-5801

Phone: 801-538-5340

Fax: 801-359-3940

Daily Completion Workover Report

Well Name: WVFU 62 (10-8S-21E)

Date: 4/27/2011 Report: 1

DOL: 1.00

Event Name: WORKOVER

Start: 4/27/2011 End:

General Information

Location: 10- 8-S 21-E 26

Offshore: N

Block: 0

Country: UNITED STATES

Slot:

State/Prov: UTAH

Spud Date: 6/4/1966

County: Uintah

Well Type: PROD

Field: WONSITS VALLEY

Well Status: WKVR

Summary Information

Daily Cost: 6,153

Supervisor: TRAVIS WILLIAMS

Final Report: N

Cum. Cost: 6,152.50

Engineer: JIM SIMONTON

AFE #: 39470

Pool:

AFE Cost: 0

Zone:

Interval: /

Daily Fluids

Daily Oil Hauled On:

Cum:

Oil in Surface Tanks:

Daily H2O Hauled On:

Cum:

H2O in Surface Tanks:

Daily Other Hauled On:

Cum:

Other in Surface Tanks:

Daily Oil Hauled Off:

Cum:

Oil Remaining to Recover:

Daily H2O Hauled Off:

Cum:

H2O Remaining to Recover:

Daily Other Hauled Off:

Cum:

Other Remaining to Recover:

Non Recoverable Annular Oil:

Cum:

Non Recoverable Annular H2O:

Cum:

Non Recoverable Annular Other:

Cum:

Safety Information

Daily Inspection:

Loss Control Incident:

BOP Drill: N

Weather Conditions:

Safety Meeting: N

Gov't Inspection: N

Last Casing Size: 5.500 (in)

Grade:

Last Casing Weight: (lb/ft)

LOT EMW: (ppg)

Set TMD: 5,500.0 (ft)

Operations Summary

From	To	Hours	Code	Subcode	Code 2	Phase	Description
08:30	09:30	1.00	LOC	3	P		ROAD RIG FROM THE RW 24-16BG, 16 MILES
09:30	10:30	1.00	LOC	4	P		R,U HOT OILER TO CASING PUMP 100 BBLS WHEN WE WHERE SPOTING IN & RIG UP
10:30	11:00	0.50	SEQ	2	P		R,D, PUMPING UNIT, R,U, ROD EQUIP,
11:00	12:30	1.50	WCL	2	P		BLEED TBG DOWN, LD POLISH ROD, PONYS, 1- 7/8" SLICK ROD, PICK UP P,R, RIG UP HOT OILER TO TBG PSI UP TO 1000 BLEED OFF

Daily Completion Workover Report

Well Name: WVFU 62 (10-8S-21E)

Date: 4/27/2011

Report: 1

DOL: 1.00

Event Name: WORKOVER

Start: 4/27/2011

End:

Operations Summary

From	To	Hours	Code	Subcode	Code 2	Phase	Description
12:30	13:30	1.00	TRP	6	P		POOH WITH
13:30	14:30	1.00	OTH		P		X OVER TO TBG EQUIP, BLEED CASING DOWN
14:30	18:00	3.50	BOP	1	P		N,D, WELL HEAD, MAKE UP 2 7/8" SUB TO HANGER PULL UP TO 79'000 TO MOVE HANGER PULL UP TO 85'000 SLOWLEY COME BACK DOWN STRING WAIT DROPPED TO 34'00, PULL UP 1 JNT PULLS FREE AT 34'000, GO DOWN STIL FREE, N,U, BOPS, RU RIG FLOOR AND TBG EQUIP, POOH WITH 4 JNTS EOT AT 5297.5'
18:00	19:30	1.50	TRAV	1	P		CREW TRAVEL

Current Status: 4/27/2011, MIRU, POOH WITH RODS PUMP STIL IN THE HOLE, ND WELL HEAD, PULL UP ON HANGER PULL TO 85000 T FREE, NU BOP, POOH 4 JNTS EOT@ 5297' SWIFN

24hr Summary:

24hr Forecast: CHECK SIP POOH WITH TBG

Daily Completion Workover Report

Well Name: WVFU 62 (10-8S-21E)

Date: 4/28/2011 Report: 2

DOL: 2.00

Event Name: WORKOVER

Start: 4/27/2011 End:

General Information

Location: 10- 8-S 21-E 26

Offshore: N

Block: 0

Country: UNITED STATES

Slot:

State/Prov: UTAH

Spud Date: 6/4/1966

County: UINTAH

Well Type: PROD

Field: WONSITS VALLEY

Well Status: WKVR

Summary Information

Daily Cost: 11,052

Supervisor: TRAVIS WILLIAMS

Final Report: N

Cum. Cost: 17,204.66

Engineer: JIM SIMONTON

AFE #: 39470

Pool:

AFE Cost: 0

Zone:

Interval: /

Daily Fluids

Daily Oil Hauled On:	(bbl)	Cum:	0.00(bbl)	Oil in Surface Tanks:	(bbl)
Daily H2O Hauled On:	(bbl)	Cum:	0.00(bbl)	H2O in Surface Tanks:	(bbl)
Daily Other Hauled On:	(scf)	Cum:	0.00(scf)	Other in Surface Tanks:	(scf)
Daily Oil Hauled Off:	(bbl)	Cum:	0.00(bbl)	Oil Remaining to Recover:	(bbl)
Daily H2O Hauled Off:	(bbl)	Cum:	0.00(bbl)	H2O Remaining to Recover:	(bbl)
Daily Other Hauled Off:	(scf)	Cum:	0.00(scf)	Other Remaining to Recover:	(bbl)
Non Recoverable Annular Oil:	(bbl)	Cum:	0.00(bbl)		
Non Recoverable Annular H2O:	(bbl)	Cum:	0.00(bbl)		
Non Recoverable Annular Other:	(scf)	Cum:	0.00(scf)		

Safety Information

Daily Inspection:

Loss Control Incident:

BOP Drill: N

Weather Conditions:

Safety Meeting: N

Gov't Inspection: N

Last Casing Size: 5.500 (in)

Grade:

Last Casing Weight: (lb/ft)

LOT EMW: (ppg)

Set TMD: 5,500.0 (ft)

Operations Summary

From	To	Hours	Code	Subcode	Code 2	Phase	Description
05:30	07:00	1.50	TRAV	1	P		4/28/2011, CREW TRAVEL
07:00	07:30	0.50	RIG	7	P		SAFTEY MEETING, CHECK SICP- 25, SITP- 0, OPEN WELL UP
07:30	11:30	4.00	TRP	2	P		RU SWAB MAKE 1 RUN DOWN TO 1500' SWAB BACK TO CASING, POOH WITH 65 JNTS, RU SWAB TRIP IN TO 1500', POOH WITH TBG R,U, LONE WOLF TRIP IN PERFORATE CASING AT 5234'-5240'. 3 1/8" GUN AT 90 PHASING, POOH R,D WIRE LINE, NU STRIPING HEAD
11:30	14:00	2.50	PERF	1	P		
14:00	15:30	1.50	TRP	2	P		MAKE UP 4 3/4" ROCK BIT & 5 1/2" SCRAPER TALLY TRIP IN WITH

Daily Completion Workover Report

Well Name: WVFU 62 (10-8S-21E)

Date: 4/28/2011 Report: 2

DOL: 2.00

Event Name: WORKOVER

Start: 4/27/2011 End:

Operations Summary

From	To	Hours	Code	Subcode	Code 2	Phase	Description
14:00	15:30	1.50	TRP	2	P		171, DID NOT TAG UP ON FILL
15:30	17:30	2.00	TRP	2	P		POOH TALLY OUT , PULL 171 JNTS, CLEAN UP SWIFN
17:30	19:00	1.50	TRAV	1	P		CREW TRAVEL

Current Status: 4/28/2011, SICP-25, SITP-0, POOH WITH TBG, LD ROD PUMP, RU LONE WOLF TRIP IN PERF@ 5234' - 5240', RD WIRE LI
BIT&SCRAPER RUN 171 JNTS, POOH 171 JNTS, SWIFN

24hr Summary:

24hr Forecast: CHECK SIP, MAKE UP PULG & PKR TRIP IN SET THEM, PUMP AICED

Daily Completion Workover Report

Well Name: WVFU 62 (10-8S-21E)

Date: 4/29/2011 Report: 3

DOL: 3.00

Event Name: WORKOVER

Start: 4/27/2011 End:

General Information

Location: 10- 8-S 21-E 26

Offshore: N

Block: 0

Country: UNITED STATES

Slot:

State/Prov: UTAH

Spud Date: 6/4/1966

County: UINTAH

Well Type: PROD

Field: WONSITS VALLEY

Well Status: WKVR

Summary Information

Daily Cost: 11,902

Supervisor: TRAVIS WILLIAMS

Final Report: N

Cum. Cost: 29,106.56

Engineer: JIM SIMONTON

AFE #: 39470

Pool:

AFE Cost: 0

Zone:

Interval: /

Daily Fluids

Daily Oil Hauled On:	(bbl)	Cum:	0.00(bbl)	Oil in Surface Tanks:	(bbl)
Daily H2O Hauled On:	(bbl)	Cum:	0.00(bbl)	H2O in Surface Tanks:	(bbl)
Daily Other Hauled On:	(scf)	Cum:	0.00(scf)	Other in Surface Tanks:	(scf)
Daily Oil Hauled Off:	(bbl)	Cum:	0.00(bbl)	Oil Remaining to Recover:	(bbl)
Daily H2O Hauled Off:	(bbl)	Cum:	0.00(bbl)	H2O Remaining to Recover:	(bbl)
Daily Other Hauled Off:	(scf)	Cum:	0.00(scf)	Other Remaining to Recover:	(bbl)
Non Recoverable Annular Oil:	(bbl)	Cum:	0.00(bbl)		
Non Recoverable Annular H2O:	(bbl)	Cum:	0.00(bbl)		
Non Recoverable Annular Other:	(scf)	Cum:	0.00(scf)		

Safety Information

Daily Inspection:

Loss Control Incident:

BOP Drill: N

Weather Conditions:

Safety Meeting: N

Gov't Inspection: N

Last Casing Size: 5.500 (in)

Grade:

Last Casing Weight: (lb/ft)

LOT EMW: (ppg)

Set TMD: 5,500.0 (ft)

Operations Summary

From	To	Hours	Code	Subcode	Code 2	Phase	Description
05:30	07:00	1.50	TRAV	1	P		4/29/2011, CREW TRAVEL
07:00	07:30	0.50	RIG	7	P		SAFETY MEETING, CHECK SICP=0 OPEN WELL UP
07:30	09:00	1.50	TRP	1	P		MAKE UP PLUG, RETRIVING HEAD, 4' SUB 2 3/8", PKR, 1-JNT 2 7/8", SN, 166 JNTS OF 2 7/8" TBG, SET PLUG @5285', SET PKR @5094'
09:00	12:00	3.00	WOT	4	P		WAIT ON PUMP TRUCKS TO GET TO LOCATION
12:00	14:00	2.00	STIM	1	P		RU HEAT WAVE PUMP 1 BBL TO FILL BRAKE PERFS WITH 2150 PSI PUMP 750 GL OF ACID DISPLACE WITH 48 BBLS ISIP 900 AT 3 BPM,

Daily Completion Workover Report

Well Name: WVFU 62 (10-8S-21E)

Date: 4/29/2011 Report: 3

DOL: 3.00

Event Name: WORKOVER

Start: 4/27/2011 End:

Operations Summary

From	To	Hours	Code	Subcode	Code 2	Phase	Description
12:00	14:00	2.00	STIM	1	P		SWIN, RD HEAT WAVE
14:00	15:30	1.50	WCL	2	P		CHECK SITP-50 OPEN WELL UP FLOWED 13 BBLS BACK IN 30 MIN, SWIFW CLEAN UP
15:30	17:00	1.50	TRAV	1	P		CREW TRAVEL

Current Status: 4/29/2011, SICP=0, MAKE UP PUG&PKR TRIP IN SET PLUG@ 5285', SET PKR@5094', RU HEAT WAVE PUMP 15% ACID 5
ISIP-900, SHUT IN FOR 30MIN PSI 50 OPEN WELL UP REC 13BBLS SWIFW

24hr Summary:

24hr Forecast: SHUT DOWN FOR WEEKEND

Daily Completion Workover Report

Well Name: WVFU 62 (10-8S-21E)

Date: 5/2/2011

Report: 4

DOL: 4.00

Event Name: WORKOVER

Start: 4/27/2011

End:

General Information

Location: 10- 8-S 21-E 26

Offshore: N

Block: 0

Country: UNITED STATES

Slot:

State/Prov: UTAH

Spud Date: 6/4/1966

County: UINTAH

Well Type: PROD

Field: WONSITS VALLEY

Well Status: WKVR

Summary Information

Daily Cost: 9,267

Supervisor: TRAVIS WILLIAMS

Final Report: N

Cum. Cost: 38,373.56

Engineer: JIM SIMONTON

AFE #: 39470

Pool:

AFE Cost: 0

Zone:

Interval: /

Daily Fluids

Daily Oil Hauled On:	(bbl)	Cum:	0.00(bbl)	Oil in Surface Tanks:	(bbl)
Daily H2O Hauled On:	(bbl)	Cum:	0.00(bbl)	H2O in Surface Tanks:	(bbl)
Daily Other Hauled On:	(scf)	Cum:	0.00(scf)	Other in Surface Tanks:	(scf)
Daily Oil Hauled Off:	(bbl)	Cum:	0.00(bbl)	Oil Remaining to Recover:	(bbl)
Daily H2O Hauled Off:	(bbl)	Cum:	0.00(bbl)	H2O Remaining to Recover:	(bbl)
Daily Other Hauled Off:	(scf)	Cum:	0.00(scf)	Other Remaining to Recover:	(bbl)
Non Recoverable Annular Oil:	(bbl)	Cum:	0.00(bbl)		
Non Recoverable Annular H2O:	(bbl)	Cum:	0.00(bbl)		
Non Recoverable Annular Other:	(scf)	Cum:	0.00(scf)		

Safety Information

Daily Inspection:

Loss Control Incident:

BOP Drill: N

Weather Conditions:

Safety Meeting: N

Gov't Inspection: N

Last Casing Size: 5.500 (in)

Grade:

Last Casing Weight: (lb/ft)

LOT EMW: (ppg)

Set TMD: 5,500.0 (ft)

Operations Summary

From	To	Hours	Code	Subcode	Code 2	Phase	Description
05:30	07:00	1.50	TRAV	1	P		5/2/2011, CREW TRAVEL
07:00	07:30	0.50	RIG	7	P		SAFETY MEETING, CHECK SITP- 25, SICP- 0
07:30	09:00	1.50	WCL	2	P		OPEN TBG UP ON A 2" REC 13 BBLS 5% OIL CUT. R,D SWABBING EQUIPMENT
09:00	09:30	0.50	TRP	2	P		RELEASE PKR TRIP IN WITH 6 JNTS TAG UP ON PLUG FISH & RELEASE PLUG
09:30	11:00	1.50	TRP	1	P		POOH WITH 171 JNTS OF 2 7/8" TBG, LD TOOLS FOR PLUG & PKR

Daily Completion Workover Report

Well Name: WVFU 62 (10-8S-21E)

Date: 5/2/2011

Report: 4

DOL: 4.00

Event Name: WORKOVER

Start: 4/27/2011

End:

Operations Summary

From	To	Hours	Code	Subcode	Code 2	Phase	Description
11:00	12:00	1.00	TRP	2	P		MAKE UP N,C, 1 JNT 2 7/8", PSN, 4 JNTS 2 7/8", 5 1/2" TAC, 166 JNTS 2 7/8" TBG J55, #6.5
12:00	14:00	2.00	BOP	1	P		R,D RIG FLOOR. N,D BOPS, SET TAC 15K IN TEN, N.U. WELL HEAD. CHANGE OVER TO ROD EQUIPMENT
14:00	15:00	1.00	HOT	1	P		R,U HOT OILER TO TBG FLUSH 50 BBLS
15:00	16:30	1.50	TRP	7	P		TRIP IN WITH ROD PUMP, 70- 3/4" PLAIN RODS, 3- 3/4" GUIDED RODS, 47- 3/4" PLAIN, 94-7/8" PLAIN RODS, 1- 2', 4', 6', X 7/8", 1- POLISH ROD 1 1/2" X 30', FILL WITH 0 BBLS LONG STROKE TO 500 PSI IN 3 STROKES GOOD
16:30	17:00	0.50	SEQ	2	P		RIG UP PUMPING UNIT ADJUST TAG TRUN OVER TO PROD,@ 5:00PM. CLEAN UP SDFN
17:00	18:30	1.50	TRAV	1	P		CREW TRAVEL

Current Status: 5/02/2011, SICP=0, SITP=25, POOH LD PKR&PLUG, TRIP IN WITH TBG PROD, STRING SET TAC 15K IN TEN, LAND TBG. IN ROD PROD, SEAT ROD PUMP, TEST 500PSI GOOD, RU UNIT, TRUN OVER TO PROD, @ 5:00

24hr Summary:

24hr Forecast: TRUN WELL OVER TO PROD

Daily Completion Workover Report

Well Name: WVFU 62 (10-8S-21E)

Date: 5/3/2011

Report: 5

DOL: 5.00

Event Name: WORKOVER

Start: 4/27/2011 End:

General Information

Location: 10- 8-S 21-E 26

Offshore: N

Block: 0

Country: UNITED STATES

Slot:

State/Prov: UTAH

Spud Date: 6/4/1966

County: UINTAH

Well Type: PROD

Field: WONSITS VALLEY

Well Status: WKVR

Summary Information

Daily Cost: 1,329

Supervisor: TRAVIS WILLIAMS

Final Report: N

Cum. Cost: 39,702.06

Engineer: JIM SIMONTON

AFE #: 39470

Pool:

AFE Cost: 0

Zone:

Interval: /

Daily Fluids

Daily Oil Hauled On:	(bbl)	Cum:	(bbl)	Oil in Surface Tanks:	(bbl)
Daily H2O Hauled On:	(bbl)	Cum:	(bbl)	H2O in Surface Tanks:	(bbl)
Daily Other Hauled On:	(scf)	Cum:	(scf)	Other in Surface Tanks:	(scf)
Daily Oil Hauled Off:	(bbl)	Cum:	(bbl)	Oil Remaining to Recover:	(bbl)
Daily H2O Hauled Off:	(bbl)	Cum:	(bbl)	H2O Remaining to Recover:	(bbl)
Daily Other Hauled Off:	(scf)	Cum:	(scf)	Other Remaining to Recover:	(bbl)
Non Recoverable Annular Oil:	(bbl)	Cum:	(bbl)		
Non Recoverable Annular H2O:	(bbl)	Cum:	(bbl)		
Non Recoverable Annular Other:	(scf)	Cum:	(scf)		

Safety Information

Daily Inspection:

Loss Control Incident:

BOP Drill: N

Weather Conditions:

Safety Meeting: N

Gov't Inspection: N

Last Casing Size: 5.500 (in)

Grade:

Last Casing Weight: (lb/ft)

LOT EMW: (ppg)

Set TMD: 5,500.0 (ft)

Operations Summary

From	To	Hours	Code	Subcode	Code 2	Phase	Description
05:30	07:00	1.50	TRAV	1	P		5/3/2011, CREW TRAVEL
07:00	07:30	0.50	RIG	7	P		SAFETY MEETING CHECK TAG, ADJUST 3" OFF TAG
07:30	09:00	1.50	LOC	4	P		RIG DOWN CLEAN UP LOCATION MOVE TO THE RW 24-18C

Current Status: 5/3/2011,CHECK TAG. R,D,M,O TRUN OVER TO PRODUCTON @ 9:00

24hr Summary:

24hr Forecast: TRUN OVER TO PRODUCTON